

APPROVED

Form 9-331a
(Feb. 1951)

NOV 8 1962

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4.
Form Approved.

Las Cruces


Land Office

062178

Lease No.

H

Unit



T. E. W. STANDLEY
DISTRICT ENGINEER
S

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NOV 13 AM 10 05

NOV 8 1962

SUNDRY NOTICES AND REPORTS ON WELLS

GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 8

1962

N. M. Federal "F"

Well No. 14 is located 1980 ft. from ☒ N ☒ S line and 1980 ft. from ☒ E ☒ W line of sec. 24

NW/SE Sec 24

8S

34E

NMPM

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Milnesand San Andres

Roosevelt

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is Will furnish later ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Set 8 5/8" 24# casing at 350' and circulate cement. Test casing to 1000 psi for 30 minutes.
2. Set 4 1/2" 9.5# casing @ 4750' cement with 200 sx. Test casing to 1500 psi for 30 minutes.
3. Perforate San Andres and acidize with 2000 gallons and follow with sand-oil frac with 20,000 gallons refined oil and sand in 4 stages with balls.
4. Run tubing and put well on production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray DX Oil Company

Address P. O. Box 128

Hobbs, New Mexico

By

T. E. Standley

Title

District Engineer

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-12B
 Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

Operator SUNRAY DX OIL COMPANY			Lease NEW MEXICO FEDERAL "F"		Well No. 14
Unit Letter J	Section 24	Township 8 SOUTH	Range 34 EAST	County ROOSEVELT	
Actual Footage Location of Well: 1980 feet from the SOUTH line and 1980 feet from the EAST line					
Ground Level Elev.	Producing Formation San Andres		Pool Milnesand San Andres	Dedicated Acreage: Acres 10	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ (Owner means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ☐ NO ☐ If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below.

Owner	Land Description

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name *R. E. Statton*
 Position **R. E. Statton**
District Engineer
Sunray DX Oil Company
November 8, 1962

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
NOVEMBER 8, 1962
 Registered Professional Engineer and/or Land Surveyor, **JOHN W. WEST**
John W. West
 Certificate No. **N.M. - P.E. & L.S. NO. 676**

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500