

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

N.M. Oil & Gas Division

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Yates Drilling Company

3. Address and Telephone No.

105 S. 4th St., Artesia, NM 88210 (505-748-4500)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1874' FNL & 1874' FWL Section 33-8S-37E

5. Lease Designation and Serial No.

NM-03283

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

LMY Federal #2

9. API Well No.

30-041-00275

10. Field and Pool, or Exploratory Area

Allison Penn

11. County or Parish, State

Roosevelt, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other \_\_\_\_\_
- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Please see attached.

RECEIVED

MAR 19 97

B-L  
ROSWELL, NM



14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Operations Manager

(This space for Federal or State office use)


Date 3-17-97

Approved by \_\_\_\_\_  
Conditions of approval, if any: \_\_\_\_\_

Title \_\_\_\_\_ Date \_\_\_\_\_

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side



**Yates Drilling Company  
LMY Federal #2  
F-33-08S-37E  
Roosevelt County, NM**

- I. Present well conditions are as follows:
  - A. 10 -3/4" casing set at 348' in 15" hole, cemented with 225 sacks of cement. Cement circulated.
  - B. 7-5/8" casing set at 4177 in 9-7/8" hole, cemented with 150 sacks. Estimated top of cement at 3500'.
  - C. 4-1/2" casing set at 9636' in 6-3/4" hole, cemented with 350 sacks. Estimated top of cement at 7100'.
  - D. Bough C perforated from 9562' to 9577'
  
- II. Propose to Plug and abandon the well as follows:
  - A. Set bridge plug at approximately 9502'.
  - B. Dump minimum of 25 sacks of cement on top of bridge plug.
  - C. Cut and pull 4-1/2" casing at approximately 7000'.
  - D. Spot 50 sack cement plug in and out of 4-1/2" casing stub where cut.
  - E. Wait on cement.
  - F. Tag cement.
  - G. Spot minimum of 50 sack cement plug in and out of 7-5/8" casing shoe at 4177'.
  - H. Wait on cement.
  - I. Tag cement.
  - J. Perforate 7-5/8" casing at approximately 2350' (approximate top of anhydrite)
  - K. Set squeeze retainer at approximately 2333' and squeeze with 50 sacks of cement.
  - L. Dump minimum of 25 sacks of cement on retainer.
  - M. Perforate at approximately 398'.
  - N. Squeeze perforations with minimum of 75 sacks of cement, leaving last 25 sacks inside casing.
  - O. Wait on cement.
  - P. Tag cement.
  - Q. Spot surface plug of at least 25 sacks of cement from approximately 75'.
  - R. Erect regulation surface marker.
  - S. Remove equipment and clean location.

Note: 9 PPG mud will be placed between all cement plugs

