



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Cactus Drilling Company (Company or Operator) Bolles (Lease)
Well No. 1 SE, in SE 1/4 of SE 1/4, of Sec. 20, T. 8 S, R. 34 E, NMPM.
Wildcat Pool, Roosevelt County.
Well is 1980 feet from North line and 660 feet from East line
of Section 20. If State Land the Oil and Gas Lease No. is
Drilling Commenced 3-8-63, 19. Drilling was Completed 3-26-63, 19.
Name of Drilling Contractor Coverlin Drilling, Inc.
Address Unknown
Elevation above sea level 4301 D.F. The information given is to be kept confidential until 60 days of date filed, 19.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10-3/4	40#	New	367	T P			surface
4-1/2	11.60#	New	4694	Halliburton		4554-4560	oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	10-3/4	367	250	circulated		
7-7/8	4-1/2	4694	225	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidised w/2,000 gal acid followed w/frac performed w/30,000 gal:60,000# sand
Swabbed well to flow.

Result of Production Stimulation
Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to T D feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 4-22, 19 63

OIL WELL: The production during the first 24 hours was 35 barrels of liquid of which 25 bbl x was
was oil; % was emulsion; 10 bbl x water; and 2/10 of 1 % was sediment. A.P.I.
Gravity 31.2

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

T. Anhy 2175
T. Salt
B. Salt
T. Yates
T. 7 Rivers
T. Queen 3365
T. Grayburg
T. San Andres 3763
T. Glorieta
T. Drinkard
T. Tubbs
T. Abo
T. Penn
T. Miss

T. Devonian
T. Silurian
T. Montoya
T. Simpson
T. McKee
T. Ellenburger
T. Gr. Wash
T. Granite
T.
T.
T.
T.
T.

Northwestern New Mexico

T. Ojo Alamo
T. Kirtland-Fruitland
T. Farmington
T. Pictured Cliffs
T. Menefee
T. Point Lookout
T. Mancos
T. Dakota
T. Morrison
T. Penn
T.
T.
T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2175	2175	Caliche, sd, R Bed				
2175	2215	40	Anhy				
2215	2560	345	Salt				
2560	3365	805	Anhy & sd.				
3365	3763	398	Sand w/anhy				
3763	4695	932	Dolo				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico, May 15th, 1963
Company or Operator Cactus Drilling Company Address P O Box 1826, Hobbs, New Mexico
Name Geo. W. B. Aiken Position Title Vice-President