

APPROVED

Budget Bureau No. 42-R358.4.
Approval expires 12-31-60.Form 9-381a
(Feb. 1951)

SEP 3 1963

(SUBMIT IN TRIPLICATE)

Land Office

Lease No. **LC-060978**

Unit

		X

E. G. HUBBLE UNITED STATES
ACTING DISTRICT ENGINEER
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 29, 1963

Jacobs Federal

Well No. **11** is located **660** ft. from **[N]** line and **1980** ft. from **[E]** line of sec. **19**NW/4 NW/4 Sec. 19
(1/4 Sec. and Sec. No.)8 S
(Twp.)35 E
(Range)NMPM
(Meridian)Undesignated (Milnesand-SA)
(Field)Reeseville
(County or Subdivision)New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spud 6:00 P.M. 8/27/63. Drilled 11" hole to 365' in Red Bed.
Cemented 8 5/8" 24# J-55 new casing at 359 with 225 sacks Class
A cement 2% calcium chloride. Cement circulated to surface.
Plug down 1:00 A.M. 8/28/63. WOC 24 hours and pressure tested
casing with 600# for 30 minutes, test O.K.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **El Chorro Exploration, Inc.**Address **c/o Oil Reports & Gas Services**

Box 763

Hobbs, New Mexico

By

Title **Agent**

GPO 9 18 507