

N. M. OIL CONS. COMMISSION

P. O. BOX 1980

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
HOBBS, NEW MEXICO 88240

Form 3180-5
(June 1990)

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

LC 060978

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Milnesand Unit

8. Well Name and No.

315

9. API Well No.

30-041-10064

10. Field and Pool, or Exploratory Area

Milnesand (San Andres)

11. County or Parish, State

Roosevelt County, New Mexico

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
☒ Well ☐ Well Other

2. Name of Operator

MAERSK ENERGY Inc.

3. Address and Telephone No.

2424 Wilcrest, Suite 200, Houston, TX 77042-2753, 713/783-0376

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter M: 660.0' from the South Line and 625' from the West Line SW SW Sec. 19 Township 8S, Range 35E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other PERF & ACID
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Clean-out, deepen, reperforate and acid stimulate this San Andres Well. Work Commenced: 6/17/93 Work Completed: 6/24/93

Operations Detail: 1) Move-in and rig-up workover rig.

2) Pull 183, 3/4" rods and plunger.

3) Nipple-up BOPs.

4) Pulled 150 jts 2-3/8" tubing, tubing anchor, pump barrel & mud anchor.

5) Run in hole w/3-7/8" bit. Clean well out to PBTD of 4710'. Drill out cement and shoe. Deepen well to 4743'.

6) Ran TDT-P log.

7) Perforate the San Andres from 4640' - 4677', 4696' - 4700', 4702' - 4706', 4708' - 4712' & 4716' - 4720' with 4 SRF

8) Washed perforations with pressure fluctuation tool.

9) Acidized San Andres with 4500 gallons of 15% NeFe acid in 3 - 1500 gallon stages using salt as a diverter.

10) Swab back 125 bbls of acid water.

11) Run in hole w/ 2-3/8" tubing, pump barrel, mud anchor & tubing anchor to 4652'.

12) Run in hole w/plunger and 184 - 3/4" rods. 13) Place well on pump.

4. I hereby certify that the foregoing is true and correct

Signed

George Sheffer
Drilling Manager

Title

ACCEPTED FOR RECORD
PETER W. CHESTER

June 25, 1993

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:

JUL 1 1993

Date

BUREAU OF LAND MANAGEMENT
ROSWELL RESOURCE CENTER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

APR 17 1993

U.S. HOUSE OF
REPRESENTATIVES
OFFICE