NEW MEXICO OIL CONSERVATION COMMISSION

	TRIBUTION		
SANTA FE			
FILE			
U.S.G.S.	7		
LAND OFFICE			
TRANSPORTER	OIL		
TRANSPORTER	GAS]	
PRORATION OFFI	E		
OPERATOR			

Santa Fe, New Mexico

WELL RECORD

			L	
<u>).</u>				
34				
Ç.				

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE

If State Land submit 6 Copies

Of the	OULILIA-011		m 201					
******	Jack L.	Mc Cle	llan		i Tähvään en kaasuupsuus valuu taluu taluu saasuu sa	Suz	anne State LOCA	AREA 640 ACRES TE WELL, CORRECTLY.
	•	(Compa	uny or Opera wryz	(105)	ar	23	(Lesse) 7	26_R
Well No		, in.		¼ of!	4, of Sec	.31 T.	, R.	36-E , NMP
	Wilde	at	******************		Pool,	BOON	evetr	Coun
Well is	330	<u>f</u> e	et from	North	line and	1650	feet from	West 1
Drilling Co	mmenced	Octo	ber 31		, 19 <u>.64</u> D r il	ling was Complete	d. Novem	ber 11 19 ⁶⁴
Name of D	rilling Contr	actor	Mox	arch Dri	Lling Company	Y		***************************************
Address	Box 11	51, H	obbs, l	lev Mexic	2	************************)	
								be kept confidential un
				, 19				or rept confidential til
					•	_		
					OIL SANDS OR			
								•••••••••
No. 3, from.			to.	*************************	No	. 6, from	to	
				YM	PORTANT WATI	ER SANDS		
Include data	a on rate of	water in	flow and o		nich water rose in h			
							feet	
No. 4, from.	***************************************	-	***************************************	to	•••••		feet	
					CASING REC	ORD		
SIZE	WEIG PER P	HT	NEW 01 USED	AMOU	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24	3h	New	254		None	1 222 022210115	
0-770		*D•	New	2)4	71000	1,012		Surface
·								
							<u> </u>	
				MUDDI	NG AND CEMEN	TING RECORD		
SIZE OF	SIZE OF	WH	ERE	NO. SACKS	метно		MUD	AMOUNT OF
HOLE	CASING	.81	ST .	OF CEMENT	USED	•	GRAVITY	MUD USED
2-3/4	8-5/8	25	4	150 sx	Pump			Circ.)
				RECORD C	F PRODUCTION	AND STIMIT A	TION	
		(10		D	. No. of Ott. on O			
		(1)			, No. of Qts. or G		•	
,	***************************************		No	AG	*****************************			
•••••		•••••		*****************		******	••••	••••••
***************************************				***************************************			***************************************	***************************************
••••								
cesuit of Pro	oduction Stin	nulation.	**********		***************************************			•••••••••••••••••••••••••••••••••••••••
	*	************		***************************************	******************************			***************************************
*********	*******************	********	********		**************************************		Depth Cleaned Or	ı t

RECORD OF DRILL-STEM AND SPECIA ESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Cable to									feet to	
	ols were u	sed from		.feet t		feet, a	nd from	·····	feet to	fcet
					PRODU	CTION				
Put to F	roducing.	None			19					
OH W				041.	,		,			
OIL WI									quid of which	
	wa	as oil;	%	was e	mulsion;		.% wate	r; and	% wa	s sediment. A.P.I
	Gı	avity	••••		•••••••••••••••••••••••••••••••••••••••					
GAS WI	ELL: TI	ne producti	on during the first	24 ho	urs was	1	M.C.F. p	lus.		harrels o
			carbon. Shut in Pre							
_										
Length	of Time S	Shut in		•••••••	•••••••••••••••••••••••••••••••••••••••					
PLI	EASE IN	DICATE I				FORMAN	CE WIT	H GEOGI	RAPHICAL SECTION	-
			Southeastern N		- ·				Northwestern Ne	ew Mexico
	•			T.	Devonian	•••••			Ojo Alamo	
		2000	•••••••••••••••••••••••••••••••••••••••	T. T.	Silurian Montoya				Kirtland-Fruitland	
			•••••••		Simpson				Pictured Cliffs	
T. 7 R	ivers			Т.	McKee				Menefee	
T. Que	en	3015		T.	Ellenburger				Point Lookout	
-			••••••		Gr. Wash				Mancos	
T. San	Andres	3470		T.	Granite			Т.	Dakota	
T. Glor	rie ta	*		T.		••••••		т.	Morrison	•••••
T. Drin	nkard	•••••	•	T.	***************************************	***************************************	••••••	т.	Penn	
				T.	•••••					
				T.		•			***************************************	
				T. T.						
X . 14135			······································	••	FORMATIO			1.	•••••••••••••••••••••••••••••••••••••••	
							KD			
		Thickness						Thicknes	s	
From	То	Thickness in Feet	Fo	rmatio		From	To	Thicknes in Feet	Forma	ition
From	To 2000	in Feet	Fo		on				Forma	ition
0	2000	in Feet	Red beds, sa	and	and gravel				Forma	ition
0		in Feet	Fo	and	and gravel				Forma	ation
0	2000	2000 352	Red beds, sa	and red	and gravel	From			s Forma	ition
0 2000 2352	2000 2352 3015	2000 352 663	Red beds, so Anhydrite, Sand, anhydr	and red	and gravel beds	From			Forma	ation
0 2000 2352	2000	2000 352 663	Red beds, s	and red	and gravel beds	From			s Forma	ition
0 2000 2352 3015	2000 2352 3015	2000 352 663 402	Red beds, so Anhydrite, Sand, anhydr	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			s Forma	ition
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ition
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ition
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ition
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ition
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ation
0 2000 2352 3015	2000 2352 3015 3470	2000 352 663 402	Red beds, sand, anhydrite, Sand, anhydrite	and red	and gravel beds	From			Forma	ition

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

ATTACH SEPARATE SHEET IF A	ADDITIONAL SPACE IS NEEDED
I hereby swear or affirm that the information given herewith is a as can be determined from available records.	complete and correct record of the well and all work done on it so far
Jack L. McClellan Company or Operator	Address P. O. Box 848, Roswell, New Mexico
Name	Operator Position of Title

Jack L. McClellan No. 1 Suzanne State 330' FML & 1650' FWL Sec. 31, T-7-S, R-36-E Roosevelt County, New Mexico

DEVIATION SURVEY

DEPTH	DEVIATION	DEPTH	DEVIATION
270	1/4°	3555*	2°
1901	1-1/40	3 719 °	2-1/40
25021	1-1/40	3933'	2-1/40
3102	2 °	4158*	1-1/20

I certify that the above deviation surveys on the captioned well are true and correct to the best of my knowledge.

Jack L. McClellan
P. O. Box 848
Roswell, New Mexico

SUBSCRIBED AND SWORN to before me this 16th day of November, 1964.

My Commission Expires:

February 2, 1965

en gertagen generation von der Steine von der Stei

	A Control of the Cont	
* .	en e	١.
18 ·		
t ,		1
\$		a

*** The second of the second o



ing the control of th



The second secon