

COUNTY	ROOSEVELT	FIELD	Eluitt-SA	STATE	NM
OPR	O'NEILL, JOSEPH I., JR.				
	1 Federal "L"				
	Sec. 17, T-8-S, R-37-E				
	1980' fr N Line & 660' fr W Line of Sec.				
	Spd 4-30-65				
	Cmp 9-20-65				
CSG & SX - TUBING		FORMATION	CLASS	DATUM	FORMATION
		LOG:			
		Anhy	2280		
		Yates	2785		
		Queen	3490		
		SA	3980		
		Slaughter			
			4715		
		TD	4882'		
8 5/8" 341' 350					
4 1/2" 4882' 200					
LOGS EL GR RA IND HC A					

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 5050' TYPE

5-11-65 F.R. 5-6-65
PD 5050' - SA
TD 4882', prep to run 4 1/2" casing.
Cored 4830-41', rec 11' anhy & dolo., w/good
poro & shows.
Cored 4841-82', rec 38 1/2' anhy & dolo., w/scatt
bleeding oil.
DST 4825-82', open 1 hr;
rec 100' gas in DP, 215' HOS&GCM, 181' wtr &
GCM + 116' black GC Wtr, w/sul odor,
30 min ISIP 1645#, FP 86-258#,
45 min FSIP 1617#.
5-17-65 TD 4882', swbg.
Perf @ 4833', 4837', 4840', 4844', 4846',
4848', 4853', 4856', 4858' W/1 SPI
Ac. 1500 gals. 4833-4858'
Swbd water, w/tr. oil.

7-65 Continued
Re-Ac. 5000 gals. 4833-4858'
Swbd 8 BFPH (8% oil)
5-24-65 TD 4882', tstg on pump.
Pmpd 10 BO + 93 BW/24 hrs.
6-1-65 TD 4882', tstg on pump.
Pmpd 67 BW + 2% oil in 20 hrs.
6-7-65 TD 4882', tstg on pump.
Pmpd 58 BF & engine died.
6-14-65 TD 4882', SD Pump Repairs.
Pmpd 50 BF (1% oil) in 16 hrs.
6-21-65 TD 4882', tstg on pump.
Pmpd 51 BF (3% oil) in 24 hrs.
6-28-65 TD 4882', RU Pump.
Frac 20,000 gals oil + 10,000# sd. 4833-58'

7-6-65 TD 4882', pmpg load.
Pmpd 71 BF (65% salt wtr, 35% LO) in 24 hrs.
7-12-65 TD 4882', pmpg load.
Pmpd 61 BF (80% salt wtr, 20% LO) in 24 hrs.
7-19-65 TD 4882', pmpg load.
Pmpd 37 BF in 18 hrs (80% wtr, 20% LO)
7-26-65 TD 4882', pmpg load.
Pmpd 45 BF in 24 hrs (80% salt wtr, 20% LO)
8-2-65 TD 4882', pmpg load.
Pmpd 56 BF in 24 hrs (90% salt wtr, 10% LO).
8-9-65 TD 4882', pmpg load.
No Gauge.
8-16-65 TD 4882', pmpg load.
Pmpd 59 BF in 21 hrs (95% wtr, 5% LO).
8-23-65 TD 4882', pmpg load.
Pmpd 41 BF in 24 hrs (95% salt wtr, 5% LO).

ROOSEVELT Bluff-SA NM Sec. 17-8S-37E
O'NEILL, JOSEPH I., JR., #1 Federal "L" Page #3

8-30-65 TD 4882', pmpg load.
Pmpd 34 BF in 24 hrs (95% salt wtr, 5% LO).
9-7-65 TD 4882', pmpg load.
Pmpd 31 BF in 24 hrs (95% wtr, 5% LO).
9-13-65 TD 4882', prep to P&A.
9-20-65 TD 4882', PLUGGED & ABANDONED.