

NEW MEXICO OIL CONSERVATION COMMISSION

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-8875

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Joseph I. O'Neill, Jr.	8. Farm or Lease Name State "L"
3. Address of Operator P. O. Box 2840, Midland, Texas 79701	9. Well No. 2
4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 1980 FEET FROM THE West LINE, SECTION 16 TOWNSHIP 8 South RANGE 36 East NMPM.	10. Field and Pool, or Wildcat South Prairie San Andres
15. Elevation (Show whether DF, RT, GR, etc.) 4108'	12. County Roosevelt

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to plug and abandon well 7-1-76.
Casing set well.
8-5/8", 24#, J-55, ST&C, set @ 266.95'. Circulated cement.
4-1/2", 9.5#, J-55, ST&C, set @ 5022'. Top of cement @ 4100'.
Perforations - 4852' to 5001'

- (1) Plug #1 - 35 sks from 4650' to 5000', via 2-3/8" tbq.
- (2) Load hole w/10# mud laden fluid & cut 4-1/2" csg @ 4000'.
- (3) Plug #2 - 60 sks @ 4-1/2" stub. 3800' to 4000'.
- (4) Plug #3 - 60 sks @ base of 8-5/8" 166' to 366'.
- (5) Plug #4 - 5 sks 3' to 30'.
- (6) Weld cap & state marker on.

100' CEMENT PLUGS REQUIRED AT TOP OF BASE OF SALT
Elev 11-1-76

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Robert Bissard TITLE Foreman DATE June 15, 1976
APPROVED BY Jerry Sexton TITLE Dist. I. Supv. DATE 1976
CONDITIONS OF APPROVAL, IF ANY: