Form 9-331 C (May 1963)	DEPARTMENT	ED STATES	(O O SUBER IN TR (Other instruc reverse sic RIOR	LIGUS ON	5. LEASE DESIGNATION	1 No. 42–R1425.	
GEOLOGICAL SURVEY					NM-0145685 6. IF INDIAN, ALLOTTEE OB TBIBE NAME		
	N FOR PERMIT	O DRILL, DEER	EN, OR PLUG B				
1a. TYPE OF WORK DR		DEEPEN D PLUG BACK		ж 🗆 🛛	7. UNIT AGREEMENT NAME		
OIL WELL CAS WELL OTHER Injection 2. NAME OF OPERATOR 0					8. FARM OR LEASE NAME Horton Federal 9. Well NO.		
Amoco Production Company UU 3. Address of Operator NOV 1 1979				9	12		
P. O. BOX 68 4. LOCATION OF WELL () At surface	Hobbs, NM 882. Report location clearly and		10. FIELD AND POOL, OE WILDCAT Milnesand San Andres 11. SEC., T., B., M., OB BLK. AND SURVEY OB ABEA				
At proposed prod. zo	ne 990' (Unit		30-8-35				
14. DISTANCE IN MILES	(Unit		12. COUNTY OR PARISH	13. STATE			
4 miles west	and 3 miles sour	th Milnesand,	NM		Roosevelt	NM	
 DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OB LEASE LINE, FT. (Also to nearest drig, unit line, if any) 			NO. OF ACRES IN LEASE 17. NO. OF ACRES ASSIGNED TO THIS WELL 40				
18. DISTANCE FROM PROPOSED LOCATION [*] TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.			PROPOSED DEPTH	OPOSED DEPTH 20. ROTARY OR CABLE TOOLS			
	hether DF, RT, GR, etc.)			22. APPROX. DATE WORK WILL START*			
<u>4226 RDB</u> 23.		PROPOSED CASING A	ND CEMENTING PROGRA				
	PROPOSED CASING AND CEMENTING PROGRAM			1	QUANTITY OF CEMENT		
SIZE OF HOLE	SIZE OF CASING		ng Not Altered				
	-						
Propose to co	onvert to an inj	ection well us	 ing the followin	g proc	edure:		
Run tubing, t	treating packer,	and tailpipe.	Tailpipe set a	t 4755	'. Stimulate	well with	
5000 gal. 155	% NEFE HCL acid	and 250# rock	salt in 300 gal	gelled	brine. Flush	with 22 bbl	
fresh water.	Swab backload	until well cle	ans up. Pull tu	ıbing a	nd treating pa	cker. Run	
plastic coat	ed tubing and in	jection packer	set at 4610'.	Load a	nnulus with ca	sing fluid .	
consisting o	f fresh water an	d 10 ga1/100 b	bl. Wellaid 840	and 2	gal/100 bbl We	llaid 872.	

Rig up surface equipment. Starting injection pressure not to exceed 750 psi.

IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED	Ray	(ox	TITL	Administrative Supervis	sor DATE 10-18-79
(This space for Fe	deral or Slate	office use)			
PERMIT NO				APPROVAL DATE	ADDROVED
APPROVED BY			TITĹ	E	APPROVED
0_4-USGS,H	1-Hou	1-Susp	1-BD		LAN 0 4 1980
-			*See Instruct	tions On Reverse Side	ACTING DISTRICT ENGINEEI

-



Hobbs, New Mexico

APPLICATION OF AMOCO PRODUCTION COMPANY TO EXPAND ITS WATER FLOOD PROJECT IN THE MILNESAND SAN ANDRES POOL IN ROOSEVELT COUNTY, NEW MEXICO.

•

ORDER PMX NO. 76

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Order No. R-3456, Amoco Production Company has made application to the Division on November 6, 1979, for permission to expand its Milnesand Horton Pressure Maintenance Project in the Milnesand San Am Pool in Roosevelt County, New Mexico.

NOW, on this 26th day of November, 1979, the Division Director finds:

1. That application has been filed in due form.

2. That satisfactory information has been provided that all offset operators have been duly notified of the application.

3. That no objection has been received within the waiting period as prescribed by Order No. R-3456.

4. That the proposed injection well is eligible for conversion to water injection under the terms of Order No. R-3456.

5. That the proposed expansion of the above referenced pressure maintenance project will not cause waste nor impair correlative rights.

6. That the application should be approved.

IT IS THEREFORE ORDERED:

That the applicant, Amoco Production Company, be and the same is hereby authorized to inject water into the San Andres formation through plasticlined tubing set in a packer at approximately 4610 feet in the following described wells for purposes of secondary recovery, to wit:

Horton Federal Lease Well No. 12 in Unit N of Section 30, Township 8 South, Range 35 East, NMPM, Roosevelt County, New Mexico;

Horton Federal Lease Well No. 15 in Unit P of Section 30, Township 8 South, Range 35 East, NMPM, Roosevelt County, New Mexico

Horton Federal Lease Well No. 25 in Unit F of Section 29, Township 8 South, Range 35 East, NMPM, Roosevelt County, New Mexico

Horton Federal Lease Well No. 29 in Unit H of Section 29, Township 8 South, Range 35 East, NMPM, Roosevelt County, New Mexico,

IT IS FURTHER ORDERED:

That the operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

That the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

That the injection well or system shall be equipped with a pop-off valve

or device which will limit the wellhead pressure to a maximum of 935 pounds per square inch; provided however that the Division Director may administratively authorize a pressure limitation in excess of the above upon the operator's establishing that such higher pressure will not result in fracturing of confining strata.

That the operator shall notify the supervisor of the Division's Hobbs District Office before injection is commenced through said well;

That the operator shall immediately notify the Supervisor of the Division's Hobbs District Office of the failure of the tubing, casing, or packer in said well or the leakage of water from or around said well and shall take such steps as may be timely or necessary to correct such failure or leakage.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION MANIC. (7 🗐 JOE D. RAMEY Division Director

SEAL