Form 9--331 Dec. 1973

## N. M. OIL CONS. COMMISSION

P. O. BOX 1980

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES HOEBS, NEW MEXICO 88240

5. LEASE

DEPARTMENT OF THE INTERIOR	NM-0145685
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME  8. FARM OR LEASE NAME
1. oil gas other think	Horton Federal 9. WELL NO.
2. NAME OF OPERATOR	23
Amoco Production Company  3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Milnesand-San Andres
P. O. Box 68, Hobbs, NM 88240  4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17)	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.)	31-8-35
AT SURFACE: 330' FNL X 660' FWL, Unit D AT TOP PROD. INTERVALSec. 31, T-8-S, R-35-E	12. COUNTY OR PARISH 13. STATE NM
AT TOTAL DEPTH:  16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	4226 RDB
TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING   JAN 1 (	3 1982 charge on Form 9-330.)
CHANGE ZONES	en e
ABANDON* (other) convert to injection	CAÉ SURVEY
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinen	irectionally drilled, give subsurface locations and
Moved in service unit 11-16-81. Pulled rods, drill collars, and bit to 4000'. Drilled cem to 4735'. Drilled cement retainer at 4735' a hole clean. Pulled tubing and tools. Perfor Ran internally coated tubing and packer. Set ray -temp. logs. Moved out service unit 11-21-2-82. Last 24 hrs. injected 620 BWPD with to injection.	ent retainer at 4720' and cement nd cement to 4756'. Circulated ated 4720'-50' with 2 JSPF. packer at 4550'. Ran base gamma 0-81. Commenced water injection
O+4-USGS, R 1-Hou 1-Susp 1-CLF	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED Cathy S. Forman THE Ast. Adm. Ana	lyst DATE 1-13-82
ACCEPTED FOR RECORD PETER W. CHESTER	
conditions of Approval, FEB 2 5 1982	DATE
U.S. GEOLOGICAL SURVEY	•
ROSWELL, NEW MEXICO Instructions on Reverse	Side