

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL GAS
PRODUCTION OFFICE	
OPERATOR	

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

Patoil Corporation

O. A. Preuit

AREA 640 ACRES
LOCATE WELL CORRECTLY.

(Company or Operator) (Lease)
Well No. 1, in SE SE 11 8-3, T. 34-E, R. NMPM,
Milnesand (San Andres) Pool, Roosevelt County.
Well is 660 feet from South line and 660 feet from East line
of Section 11. If State Land the Oil and Gas Lease No. is _____
Drilling Commenced April 15, 19 63 Drilling was Completed April 27, 19 63
Name of Drilling Contractor Tom Brown Drilling Co., Inc.
Address 820 Midland Savings & Loan Bldg., Midland, Texas
Elevation above sea level at Top of Tubing Head 4259 The information given is to be kept confidential until
OK to release, 19 _____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	32#	used	387	HOWCO	0		
5-1/2"	14 & 13.5	used	4680	HOWCO	2505		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	8-5/8"	387	250	Hand		
7-7/8"	5-1/2"	4680	200	Pump		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation DRY
Depth Cleaned Out _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 7690 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates 2612	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres 3802	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	50	50	surface sand & caliche				
50	300	250	sand & shale				
300	2240	1940	red shale & sand & gyp				
2240	2320	80	anhydrite				
2320	2610	290	salt & anhydrite				
2610	2725	115	sand w/shale stringers				
2725	3000	1075	anhydrite, salt, shale				
3000	T.B.	800	dolomite w/anhydrite stringers				
4696 D.P.							

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

February 7, 1964

Company or Operator. PATOIL CORPORATION

Address. 610 Midland Nat'l Bank Bldg., (Date)

Name. O. H. Stanfield

Position or Title. Production Superintendent

PATOIL CORPORATION
O. A. Preuit #1
660' FS&M Sec. 11,
T-8-S, R-35-E, Roosevelt
County, New Mexico

<u>DEPTH</u>	<u>INCLINATION</u>
1,017'	1/4°
1,520'	3/4°
2,700'	1 °
3,442'	1 °
3,807'	1/2°
4,040'	1/2°
4,348'	2 °
4,475'	3/4°

I, O. H. STANFIELD and I, THOMAS C. BROWN, being first duly sworn on oath state that we have knowledge of the facts and matter herein set forth and that the same are true and correct.

TOM BROWN DRILLING COMPANY, INC. PATOIL CORPORATION

By Thomas C. Brown

By O. H. Stanfield

Subscribed and sworn to before me this 30th day of April,
A. D., 1963.

MY COMMISSION EXPIRES:
6-1-63

Dene Brown
Notary Public in and for
Midland County, Texas

DENE BROWN - Notary Public
In and For Midland County, Texas

100-100000

UNITED STATES DEPARTMENT OF JUSTICE
FEDERAL BUREAU OF INVESTIGATION
WASHINGTON, D. C. 20535

MEMORANDUM

TO : DIRECTOR, FBI
FROM : SAC, NEW YORK
SUBJECT: [Illegible]

DATE: [Illegible]
TIME: [Illegible]
PAGE: [Illegible]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible signature and text]

[Illegible text block]

[Illegible text block]