

OPERATOR'S COPY

Form 3160-5
(June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Saga Petroleum

3. Address and Telephone No.

415 W. Wall, Suite 1900, Midland, TX. 79701

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980 FSL & 611 FWL Sec. 31 T7S R36E

N

E

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

Todd Lower S A Unit Sec. 31

8. Well Name and No.

Todd 3105 #5

9. API Well No.

30-041-10145

10. Field and Pool, or Exploratory Area

Todd Lower San Andres

11. County or Parish, State

Roosevelt

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other _____
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Set CIBP @ 4200. Dump 20 cement on top. (perfs 4244 to 4304) TAG
2. 100 ft. plug @ 2035 - 1935.
4. Cut and pull 5 1/2 +/- 1000.
5. Spot 100' plug @ 5 1/2 stub. Tag
- 6.. Spot 100 ft. plug @ 8 5/8 shoe (50 in 50 out) Bottom of shoe @ 331'. Tag
- 7.. Surface plug install dry hoe marker.

14. I hereby certify that the foregoing is true and correct

Signed

[Signature]

Title Agent

Date 08/16/00

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

RECEIVED

AUG 31 2000

BLM
ROSWELL NM

LEASE & WELL NO. TODD 3105
FIELD TODD LOWER SAN ANDRES UNIT

PLAINS PETROLEUM
415 W. Wall, Suite 2110
MIDLAND, TEXAS 79701

1980 FNL 611 FWL sec. 31

LOCATION TTS, R36E Roosevelt Co.
ELEV. KB 4157 BY SDO DATE 3-8-90
GL

Well History Originally Hobbs "R" state #2

10-8-84 PERF: 4244-4304' w/1 JSPP 60 Holes


ACIDIZED w/ 500 gal xylene & 1500 gal 20% NEFE w/
SALT Block 2600# MAX AIR 24 BPM ISIP 1900#

9-3-86 T.A.

4-15-88 RTP

6-13-89 CONVERT TO WIW LAST TES. 0.130X1.5 BWPD

CURRENT CONFIG: 4031' PC 2 7/8" +bg. 4 1/2" AD-1



Completion: 6/26/65 Perfs: 4259, 62, 68, 77, 79

84, 92, 94, 4300, 10 Holes

ACIDIZED w/ 2000 gal 15% HCl

Frac'd w/ 20,000 gal L.O. & 20,000# sand

Perfo 4259-60, 62-63, 67-68, 71-72, 76-80,

84-85, 91-92, 94-95, 4300-01

48 holes 4SPF

I.P. 15B0X2BW

RECEIVED

AUG 31 2000

BLM
ROSWELL, NM