

| | |
|---------------------------|-----|
| NUMBER OF COPIES RECEIVED | |
| DISTRIBUTION | |
| SANTA FE | |
| FILE | |
| U.S.G.S. | |
| LAND OFFICE | |
| TRANSPORTER | OIL |
| | GAS |
| PRORATION OFFICE | |
| OPERATOR | |

Revised 7/71
Form C-1

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

SUN OIL COMPANY (Company or Operator) G. M. Cosby (Lease)
Well No. 1, in SW 1/4 of NE 1/4, of Sec. 12, T. 85, R. 34E, NMPM.
Midland-San Andres Pool, Roosevelt County.
Well is 1980 feet from North line and 1980 feet from East line
of Section 12. If State Land the Oil and Gas Lease No. is -
Drilling Commenced 2-2, 1963. Drilling was Completed 2-12, 1963.
Name of Drilling Contractor Tri Service Drilling Co.
Address P. O. Box 1785, Midland, Texas
Elevation above sea level at Top of Tubing Head 4255. The information given is to be kept confidential until
1963.

OIL SANDS OR ZONES

No. 1, from 4542 to 4654 No. 4, from - to -
No. 2, from - to - No. 5, from - to -
No. 3, from - to - No. 6, from - to -

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 4663 to 4700 feet.
No. 2, from - to - feet.
No. 3, from - to - feet.
No. 4, from - to - feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | OUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|-------|-----------------|-------------|---------|--------------|---------------------|--|---------|
| 8-5/8 | 20# | New | 363.54 | HOMCO | None | - | |
| 4-1/2 | 9.5# | New | 4692.07 | HOMCO | None | | |
| 2-3/8 | 4.70# | New | 4653.06 | - | None | One hole at 4609, 15, 19, 25, 4630, 40, 44 - 3/8" hole | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. BAGS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|--------------------|-------------|-------------|--------------------|
| 12 1/4 | 8-5/8 | 380 | 150 Com. w/4% Gel | Pump | 2.0 | |
| 7-7/8 | 4-1/2 | 4700 | 200 Com. w/4% Gel | Pump | 9.5 | |

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized perms. 4609, 4615, 4619, 4625, 4630, 4640, 4644 w/2000 gal. MEC acid using
12 ball sealers.

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL 1 3

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4700 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 2-17 1963

OIL WELL: The production during the first 24 hours was 137.92 barrels of liquid of which 34 % was oil; % was emulsion; 66 % water; and % was sediment. A.P.I. Gravity 28.0

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

| | | | | |
|---------------|------|----------------|--|-----------------------|
| T. Anhy | | T. Devonian | | T. Ojo Alamo |
| T. Salt | | T. Silurian | | T. Kirtland-Fruitland |
| B. Salt | | T. Montoya | | T. Farmington |
| T. Yates | 2640 | T. Simpson | | T. Pictured Cliffs |
| T. 7 Rivers | | T. McKee | | T. Menefee |
| T. Queen | 3333 | T. Ellenburger | | T. Point Lookout |
| T. Grayburg | | T. Gr. Wash | | T. Mancos |
| T. San Andres | 3822 | T. Granite | | T. Dakota |
| T. Glorieta | | T. | | T. Morrison |
| T. Drinkard | | T. | | T. Penn |
| T. Tubbs | | T. | | T. |
| T. Abo | | T. | | T. |
| T. Penn | | T. | | T. |
| T. Miss | | T. | | T. |

FORMATION RECORD

| From | To | Thickness in Feet | Formation | From | To | Thickness in Feet | Formation |
|------|------|-------------------|-------------------------------------|------|----|-------------------|-----------|
| 0 | 345 | 345 | Shale | | | | |
| 345 | 1906 | 1561 | Red Bed | | | | |
| 1906 | 2120 | 214 | Red Bed, Anhy | | | | |
| 2120 | 2606 | 486 | Red Bed, Salt, Anhy, Lime Stringers | | | | |
| 2606 | 3361 | 755 | Anhy Salt | | | | |
| 3361 | 3475 | 114 | Anhy, Gyp | | | | |
| 3475 | 3745 | 270 | Anhy | | | | |
| 3745 | 4053 | 308 | Anhy, Lime | | | | |
| 4053 | 4090 | 37 | Lime | | | | |
| 4090 | 4222 | 132 | Anhy, Lime | | | | |
| 4222 | 4624 | 402 | Lime | | | | |
| 4624 | 4676 | 52 | Lime, Shale, Sand | | | | |
| 4676 | 4700 | 24 | Lime | | | | |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

March 7, 1963

Company or Operator SUN OIL COMPANY

Address Box 2792, Odessa, Texas

Name O. L. Wright

Position or Title Area Superintendent