

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

## OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.

K-3935

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☐

GAS  
WELL ☐

OTHER

Injector

2. Name of Operator

Murphy Operating Corporation

3. Address of Operator

P. O. Drawer 2648, Roswell, New Mexico 88202-2648

7. Lease Name or Unit Agreement Name

Haley Chaveroo San Andres  
Sec. 34

8. Well No.

6

9. Pool name or Wildcat

Chaveroo San Andres

4. Well Location

Unit Letter F : 1980 Feet From The North Line and 1980 Feet From The West Line

Section 34 Township 7 South Range 33 East NMPM Roosevelt County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5-30-90 Rig up pulling unit. Release packer SLM out of hole as follows:

|                                |         |
|--------------------------------|---------|
| 1 AD-1 packer                  | 2.50    |
| 130 Jts. 2 3/8" J-55 coated tb | 4040.90 |
| KBM correction                 | 12.00   |
| Bottom of packer @             | 4055.40 |

SDFN.

5-31-90 TIH with bailer, tag fill @ 4335', clean out of 4346'. Bailer plugged TOH clean tool & TIH & clean well out to 4392', KBM. Bailer plugged again TOH & lay down same. TIH as follows:

|                                     |         |
|-------------------------------------|---------|
| 1 Halliburton R-4 packer            | 3.45    |
| 130 Jts. 2 3/8" 4.7# J-55 coated tb | 4040.90 |
| KBM correction                      | 12.00   |
| Set bottom of packer @              | 4056.35 |

Rig down pulling unit.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Lori Brown

TITLE

Production Supervisor

DATE

6/11/90

TYPE OR PRINT NAME

505-623-7210  
TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY DISTRICT I SUPERVISOR

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JUN 21 1990

RECEIVED  
JUN 20 1990  
OCD  
HOBBS OFFICE

