

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E-8875	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- S.W.D.		7. Unit Agreement Name
2. Name of Operator Joseph I. O'Neill, Jr.		8. Farm or Lease Name O'Neill State
3. Address of Operator 410 West Ohio, Midland, Texas 79701		9. Well No. 1
4. Location of Well UNIT LETTER <u>L</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>North</u> LINE, SECTION <u>16</u> TOWNSHIP <u>8S</u> RANGE <u>36E</u> NMPM.		10. Field and Pool, or Wildcat South Prairie
15. Elevation (Show whether DF, RT, GR, etc.) 4108 GR		12. County Roosevelt

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
OTHER <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Intent to plug & abandon S.W.D. well.

Casing in well:

13-3/8" set @ 417', cement circulated to surface.

8-5/8" set @ 4193', top of cement @ 1200' by temperature survey.

4-1/2" set @ 9750', top of cement @ 5400' by temperature survey.

2-3/8" tbg landed in packer @ 9665'.

Salt water disposal zone 9679 - 9685', Bough "C". Zone plug off will not take water.

Proposed. Load hole with mud laden fluid.

Spot Plug #1 via 2-3/8" tbg, 35 sks from 9400 to 9665'.

Cut 4-1/2" csg @ 5400', pull and lay down.

Plug #2 via 2-3/8" tbg, 50 sks @ 4-1/2" csg stubb, 162' fill up.

Plug #3 via 2-3/8" tbg, 65 sks in & out of 8-5/8", 4100 to 4300'.

Cut 8-5/8" csg @ 1200', pull and lay down.

Plug #4 via 2-3/8" tbg, 75 sks in & out of 13-3/8" @ 417', 377 to 477'.

Plug #5 via 2-3/8" tbg, 25 sks, 3' to 30'.

Weld cap and state marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Robert B. Bland TITLE Drilling Foreman DATE May 16, 1975

APPROVED BY Joe D. Ramsey TITLE Dist. I, Supv. DATE MAY 19 1975

CONDITIONS OF APPROVAL, IF ANY: