

COUNTY	ROOSEVELT FIELD Wildcat			STATE	NM	OWWO
WC OPR	WILLIAMSON, J. C.			MAP		
2 Mobil-Federal						
Sec. 33, T-8-S, R-35-E				CO-ORD		
660' fr N & E Lines of Sec.						
Re-Spd 5-3-65				CLASS <i>own</i> EL <i>EL</i>		
Re-Cmp 5-17-65				FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING						
13 3/8" 302' 300						
8 5/8" 4025' 300						
4 1/2" 8971' 100						
LOGS EL GR RA IND HC A						
				TD 9790', PBD 8971'		

IP Abo Perfs 8880-8930' Pmpd 103 BOPD + 5% wtr. Pot. Based on 24 hr test, gravity 36., GOR 835.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 8900'	TYPE
DATE		

F.R. 5-6-65; OWWO.
Orig. P&A 8-28-63, OTD 9790'
Elev. 4192' Df, Orig.
PD 8900' - Abo
5-10-65 Tight
5-17-65 TD 9790', PBD 8971', WO Potential.
CO to 8971'
Ran 4 1/2" casing
Perf 8880-8930' W/2 SPF
Ac. 500 gals.
Re-Ac. 4000 gals. 8880-8930'
Swbd load
Swbd 5 BOPH for 18 hrs.
5-24-65 TD 9790', PBD 8971', COMPLETED.

COUNTY		Roosevelt		FIELD		Wildcat		STATE		N.M.		NO.	
WC		OPR.		Williamson, J.C.				MAP					
NO.		2		LSE		Mobil-Federal							
SEC.		33		T.		8S		BLK.		35E		SUR.	
LOC.		660'		fr		N & E Lines of Sec.		CO-ORD.					
MI.		FROM		P&A		CLASS.		EL		41925			
SPUD.		5-28-63		COMR.		8-28-63		FORMATION		DATUM		FORMATION	
IRT.				LOG:									
				Anhy		2268							
CSG. & SX.				Yates		2740							
13 3/8"		302'		300		SA		3980					
8 5/8"		4025'		300		Glor		5430					
4 1/2"		9789'		175		Tubb		6910					
TBG.		DEPTH		SIZE		Abo		7754					
LOGS		EL		GR		RA		IND		HC		A	
						Bo"C"		9728					
						TD 9790'				PB			
PROD INT.		(DAILY RATE)		BS&W		GH		GOR		GTY		C. P.	
												T. P.	
												HRS. TEST	
PLUGGED & ABANDONED													
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.													
CONT. Robinson Bros. Drlg. Co.										PROP DEPTH 10,000' TYPE			
DATE													

9728
4192
5537

F.R. 5-31-63, Pennsylvanian.
Contractor - Robinson Bros. Drlg. Co., PD 10,000'.
6-3-63 TD 4025', ls., prep to run csg.
6-10-63 Drlg. 6181' ls.
6-17-63 Drlg. 8190' sh.
6-24-63 Drlg. 9002' ls.
DST 8870-8950', open 2', rec. 750' GCM, 30"
ISIP 3528#, FP 103-441#, 30" FSIP 661#.
7-1-63 Drlg. 9660' ls. & sh.
7-2-63 TD 9735', prep to drill. Ran Logs @ 9735'.
7-8-63 TD 9790', WOC.
DST 9734-70', pkr. failed.
DST 9734-70', pkr. failed.
DST 9689-9770', pkr. failed.

Williamson, J.C., #2 Mobil-Federal - Sec. 33-8S-35E

Wildcat

7-15-63 TD 9790', SI, WOO.
Perf 40/9730-50', tr. 500 Ac., swbd dry.
Re-tr. 3000 gals A., swbd dry, w/NS.
SAMPLE TOPS: Yates 2710', San Andres 3980',
Abo 7755', Bough "C" 9726'.
7-22-63 TD 9790', SI, WOO.
7-29-63 TD 9790', SI, WOO.
8-5-63 TD 9790', swbg.
Dolofrac w/30,000 gals. Fld 200 BAW/no time.
8-12-63 TD 9790', prep to P&A.
(Holding until plugged & abandoned).
9-3-63 TD 9790', PLUGGED & ABANDONED.