

30-025-10213

COUNTY	ROOSEVELT	FIELD	Chavero	STATE	NM
CPR	STEELE OIL COMPANY				MAP
7 Hbbs "Y"					
Sec. 34, T-7-S, R-30-E				CO-ORD	
1980' fr S Line & 660' fr W Line of Sec.					
Spd 9-29-65		CLASS		EL [REDACTED]	
Cap 10-16-65		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
8 5/8" 366' 250					
4 1/2" 4525' 350					
LOGS EL GR RA IND HC A					
TD 4525', PBD 4357'					

IP San Andres Perfs 4295½-4345' Pmpd 56 BOPD + 144 SW. Por.
Based on 24 hr test, gravity 24.9, GOR TSTM.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus Drlg. Co.	PROP DEPTH 4475'	TYPE
DATE		

F.R. 9-2-65
PD 4475' - SA
Contractor - Cactus Drlg. Co.
10-7-65 TD 4369', lost circulation.
Lost circulation @ 4332'.
10-14-65 TD 4525', PBD 4443', prep to perf.
Perf 4472½-75½' W/4 SPF
Ac. 750 gals.
Swbd 34 BLO & AW in 15 hrs
(Lost 8 hrs swbd 1.7 bbls fluid)
Squeezed perfs 4472½-75½' W/100 sx.
10-23-65 TD 4525', PBD 4325', tstg on pump.
Perf @ 4376½', 4377½' W/1 SPI
Ac. 500 gals.
Swbd 31 BLO + 72 E Form Wtr in 4½ hrs.
Squeezed perfs 4376½-77½' W/150 sx.

10-23-65

Continued

Perf 4332-40', 4342-45' W/4 SPF

Ac. 500 gals.

Swbd 16 BNO + 107 B Form Wtr in 24 hrs.

Perf @ 4295½', 4303', 4311½', 4316',

4322½' W/1 SPI

Set BP @ 4325'

Ac. 1000 gals. (4295½-4322½')

Pmpd 8 BNO + 117 B Form Wtr in 24 hrs

(4295½-4322½')

11-1-65

TD 4525', PED 4357', COMPLETED.

Pulled BP @ 4325'

LOG TCPS: Anhydrite 1955', Yates 2376',

San Andres 3511'.

MX 10213

COUNTY	ROOSEVELT	FIELD	Chaveroo	STATE	NM OWWO
OPR	SKELLY OIL CO.				MAP
	7 Hobbs "T"				
	Sec 34, T-7-S, R-33-E				CO-ORD
	1980' FSL, 660' FWL of Sec.				
	Re-Cmp 2-15-69	CLASS		EL	
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
8 5/8" at 366' w/250 sx					
4 1/2" at 4525' w/350 sx					
LOGS EL GR RA IND HC A					
	TD 4525'; PBD 4357'				
IP (San Andres) Perf 4224-4345' P 65 BOPD + 2 BW. Pot based on 24 hr test					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT.	PROP DEPTH 4299'				TYPE WO
DATE					

F.R.C. 3-21-69; Opr's Elev. 4411' DF
 PD 4299' WO (San Andres)
 (Orig. comp. 10-16-65 thru Perfs 4295-4345',
 OTD 4525', OPB 4357')
 3-19-69 TD 4525'; PBD 4357'; COMPLETE
 Perf @ 4224', 4235', 4263', 4271', 4288',
 4291', 4299' w/l SPI
 Acid (4224-4345') w/1000 gals (15%)
 Frac (4224-4345') w/30,000 gals wtr + 45,000# sd
 3-21-69 COMPLETION REPORTED