Form 9-331 (May 1963)	UNJ D STATES DEPARTMEN OF THE INTE GEOLOGICAL SURVEY	20.45	re- 5. LEASE DESIGNATION	AND SERIAL 1	
	DRY NOTICES AND REPORTS form for proposals to drill or to deepen or plu Use "APPLICATION FOR PERMIT—" for such		6. IF INDIAN, ALLOTTED	S OR TRIBE NA	
			7. UNIT AGREEMENT NA	7. UNIT AGREEMENT NAME	
WELL WELL OTHER 2. NAME OF OPERATOR 0			8. FARM OR LEASE NAM	8. FARM OR LEASE NAME	
Geror Oil Ltd., 1962 3. Address of Operator		Featherston	Featherstone		
		2	9. WELL NO.		
4. LOCATION OF WELL (F See also space 17 belo At surface	adway, Tuscon, Arizona 85719 report location clearly and in accordance with a w.)	ny State requirements.*	10. FIELD AND POOL, OF	R WILDCAT	
			Cheveroo 11. SEC., T., B., M., OR E SURVEY OR AREA	Cheveroo 11. SEC., T., B., M., OB BLK. AND SUBVEY OB ABEA	
660' FNL & 1980' FWL			29-7-33		
14. PERMIT NO.	15. ELEVATIONS (Show whether	r DF, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE	
	4426 '	GR	Roosevelt	N.M.	
16.	Check Appropriate Box To Indicate	Nature of Notice, Report, or	r Other Data		
1	NOTICE OF INTENTION TO:	SUBS	EQUENT REPORT OF:		
TEST WATER SHUT-O	FF PULL OR ALTER CASING	WATEB SHUT-OFF	REPAIRING V	VELL	
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	Y-	
SHOOT OR ACIDIZE	ABANDON* CHANGE PLANS	SHOOTING OR ACIDIZING (Other)	ABANDONME	4 T • <u>\</u>	
(Other)		(Note: Report resu	ilts of multiple completion	on Well	
<pre>proposed work. If nent to this work.) 1. Spotted 2. Loaded h</pre>	a 25 sx plug to cover all pe ole w/mud-laden fluids.	ocations and measured and true ver	tes, including estimated dat	e of starting	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe	nent details, and give pertinent da ocations and measured and true ver erforations.)'. stub, 1375'. pase of surface casing , erected a 4" regulat	tes, including estimated dat tical depths for all markers	e of star	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole,	nent details, and give pertinent da ocations and measured and true ver erforations.)'. stub, 1375'. pase of surface casing , erected a 4" regulat	tes, including estimated dat tical depths for all markers	e of startin	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted 7. Well was 18. I hereby certify that</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole, plugged & abandoned on 3/19	hent details, and give pertinent da ocations and measured and true ver erforations.)'. stub, 1375'. base of surface casing , erected a 4" regulat 0/73.	tes, including estimated dat tical depths for all markers tion marker.	e of startin s and zones	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted 7. Well was 18. I hereby certify that SIGNED</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole, plugged & abandoned on 3/19 the forefolds is true and correct	hent details, and give pertinent da ocations and measured and true ver erforations.)'. stub, 1375'. base of surface casing , erected a 4" regulat 0/73.	tes, including estimated dat tical depths for all markers tion marker.	e of starting	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted 7. Well was 18. I hereby certify that SIGNED</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole, plugged & abandoned on 3/19 the forefolg is true and correct 	hent details, and give pertinent da ocations and measured and true ver erforations.)'. stub, 1375'. base of surface casing , erected a 4" regulat 0/73.	tes, including estimated dat tical depths for all markers d. tion marker.	e of starting s and zones	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted 7. Well was 18. I hereby certify that SIGNED</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole, plugged & abandoned on 3/19 the forefolds is true and correct 	Agent	tion marker.	e of starting s and zones	
<pre>proposed work. If nent to this work.)' 1. Spotted 2. Loaded h 3. Spotted 4. Spotted 5. Spotted 6. Spotted 7. Well was 18. I hereby certify that SIGNED</pre>	well is directionally drilled, give subsurface k a 25 sx plug to cover all pe ole w/mud-laden fluids. a 25 sx plug from 1700'-1800 a 25 sx plug across casing s a 25 sx plug in and out of b a 10 sx plug in top of hole, plugged & abandoned on 3/19 the forefolds is true and correct 	nent details, and give pertinent da ocations and measured and true ver erforations.)'. Stub, 1375'. Dase of surface casing , erected a 4" regulat 0/73.	tion marker.	e of startin, s and zones	