## SUBMIT IN TRIP--ATE\*

Form approved. Budget Bureau No. 42-R1425.

11 1 For 1

(Other instructic reverse side) UNITED STATES
DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY  APPLICATION FOR PERMIT 12 DRILL, DEEPEN, OR PLUG BACK  TYPE OF WORK  DRILL B.  DEEPEN DEEPEN PLUG BACK  7. UNIT AGREEMENT NAME  TYPE OF WELL  LEUC BACK TO UNIT AGREEMENT NAME  SINGLE ZONE ZONE SONE SONE SONE SONE SONE SONE SONE S		DEPARTME	5. LEASE DESIGNATION	5. LEASE DESIGNATION AND SERIAL NO.			
DEEPEN DELL S DEEPEN DIVISION PLUG BACK DIVISION DELL SUMMER OF PROPERTY DESCRIPTION OF MELL SONS DELL SON		GEOL	OGICAL SURVE	Y			
DRILL B OPER DEEPEN PLUG BACK TO THE STATE OF CARINO WELLS OF CARINO AND PROPERTY OF THE WALL SO THE STATE THAT THE WORLD STATE WILL STATE WALL SO THE STATE THAT THE WORLD STATE WALL SO THE STATE THAT THAT THE STATE THAT THE STATE THAT THE STATE THAT THE STATE THAT THAT THE STATE THAT THAT THE STATE THAT THAT THE STATE THAT THAT THE STATE THAT THAT THE STATE THAT THAT THAT THAT THE STATE THAT THAT THE STATE THAT THAT THAT THE STATE THAT THAT THAT THAT THE STATE THAT THAT THAT THAT THAT THAT THAT	APPLICATIO		TO BRILL, DI	EEPEN, OR PLUG E	BACK	.	
NOT CHANGE WHELE    STATE   SONE   SO	TYPE OF WORK	*				7 IINIM ACRIMINATION	N. Adam
MANY OF CHEST WALL OF THE MANY OF CHEST WAS ARREST TOWN OR FORT OF THE MANY OF	TYPE OF WELL	ILL S	DEEPEN _	PLUG BA	CK L	A. UNII AGREEMENT	NAME
CATON OF WILL (Report location clearly and in accordance with may State requirements.*)  10. Fills AND FOOL, on Williams (Report location clearly and in accordance with may State requirements.*)  11. FILLS AND FOOL, on Williams (Report location clearly and in accordance with may State requirements.*)  12. CONNY OF WILL (Report location clearly and in accordance with may State requirements.*)  13. 10. FILLS AND FOOL, on Williams (Report location 29, T-7-S, R-33-E)  14. 15. 16. 16. 16. 17. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18	MELL 🟝 V			ZONE ZONE	LE		
OBJECT OF PERANGE  A DOME 1797, Midland, Texas CARDON OF WALL (Report location clearly and in accordance with any State requirements.)  BORN 1981, 6 660 FRL, Section 29, T-7-S, R-33-E  Proposed prod. some  State Unit-H  Same  BERANCE IN MILES AND DEBECTION FROM NARBEST TOWN OR FOST OFFICE.  16 miles West of Milnesand  BERANCE IN MILES AND DEBECTION FROM NARBEST TOWN OR FOST OFFICE.  16 miles West of Milnesand  BERANCE FROM FROM PRODUCAL TOWN OR FOST OFFICE.  16 NO. OF ACRES IN LEASE  BERANCE FROM FROM SHARE MAY  Also to bearest drig. unit line, if any)  BERANCE FROM FROM SHARE MAY  APPENDE FOR, ON THIS MARE, FT.  APPENDE FOR FOR THE FOOT.  BOCKET, APPENDE MARE TO REAL TO THE WALL T				=-			ral
The proposed prof. sone  10. Field and Prof., on which are requirements.")  11. George of the section of the section 29, T-7-8, R-33-E  12. George of the section of the section 29, T-7-8, R-33-E  13. George of the section of the	DRESS OF OPERATOR	roleum Company	Var	ren American Oil C	ompany		
1980' FML & 660' FML, Section 29, T-7-S, R-33-E  11. SEC. T. R. W. OS BEX.  Sec. 29, T-7-S, R-33-E  16 Miles And Direction From Names Town or post office*  16 Miles And Direction From Names Town or post office*  16 Miles And Direction From Names Town or post office*  17. No. of Acres Associate  18. No. of Acres Associate  North Well.  18. No. of Acres Associate  North Well.  19. PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  12-1/4"  8-5/8"  20-8-40  350'  223 SECKS  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  12-1/4"  8-5/8"  20-8-40  350'  223 SECKS  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  12-1/4"  8-5/8"  20-8-40  350'  223 SECKS  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING		97 Midland T	· · ·				OR WITEROUS
1980 FML & 660 FML, Section 29, T-7-S, R-33-E  Iproposed prod. Zone  State Unit-H  Same  See: 29, T-7-S, R-33-E  III. SEC. T. E. W. OR RIE.  AND SURVEY OR ARRIER  SEC. 29, T-7-S, R-33-E  III. SEC. T. E. W. OR RIE.  AND SURVEY OR ARRIER  SEC. 29, T-7-S, R-33-E  III. SEC. T. E. W. OR RIE.  Soc. 29, T-7-S, R-33-E  III. SEC. 29, T-7-S, R-32-E  III. SEC. 29, T-7-S, R-22-E  III. SEC. 29, T-7-S, R-20-E  III. SEC. 29, T-7-S, R-20-E  III. SEC. 29, T-7-S, R-20-E  III. SEC. 20, T. S.  III. SEC. 20, T. S.  III. SEC. 29, T-7-S, R-23-E  III. SEC. 20, T. S.  III. SCC. 400 FOR T.  III. SCC. 40					<del></del>	1	<del>-</del>
Sence State Unite-H Same  169 ANCE IN MILES AND DIRECTION FROM NABLEST TOWN OR POST OFFICE*  16 miles West of Milnesand  17. COUNTY OR PARISH 13. STATE  189 ANCE PRON PROPOSED  180 ANCE PRON PROPOSED  180 ANCE PRON PROPOSED  180 AND THIS WELL  40  180 ANCE PRON PROPOSED LOCATION*  191 PROPOSED DEFTH  202 APPROX. DATE WORK WILL START*  4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  18EE OF HOLE  192 APPROX. DATE WORK WILL START*  4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  18EE OF HOLE  192 APPROX. DATE WORK WILL START*  4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  12-1/4"  8-5/8"  20-9, H-40  350"  223 SECKS  1000 Out Preventer Program:  12-1/4"  13-1/2"  13-1/4	1980°	FNL & 660' PE	L, Section 29	, T-7-S, R-33-E		11. SEC., T., B., M., OR	RLK.
SEASCE IN MILES AND DIRECTION PROM NEAREST TOWN OR POST OFFICE*  10 miles West of Milnesand  10 miles West of Milnesand  11 miles West of Milnesand  11 miles West of Milnesand  12 miles West of Milnesand  13 miles West of Milnesand  14 miles West of Milnesand  15 miles West of Milnesand  16 miles West of Milnesand  17 mo of Acres and Rease  17 mo of Acres and Rease  20 miles West of Milnesand  20 miles West of West of Milnesand  20 miles West of West of Milnesand  20 miles West of West of West of West of Milnesand  20 miles West of West	t proposed prod. zor	<sub>ne</sub> State Uni	t-H				
16 miles West of Milnesand  Roosevelt Rew Mexic  Royal	— <del></del>	AND DIDECTION EDOM N	ALDRON MONTH OR DOSM	Ownzan t			
DATE PROPOSED PROCESS.  16. NO. OF ACRES IN LEASE IN LEASE IN LEASE TO CHAIN WALL. 40  20 CHAIN TO BLASE LINE, If Ho., If HD.)  19. PROFOSED DEFTE 20. ROTARY OF CABLE TOOLS  22. APPROX. DATE WORK WILL START*  ASTREED FOR NOTHIN LEASE, T.  4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE SIZE OF CASING WHICH PER FOOT SETTING DEPTH QUANTITY OF CEMENT  12-1/4" 8-5/8" 20-6, R-40 350' 223 sacks  7-7/8" 4-1/2" 9.54, J-55 4500' 300 sacks  NOW PROPOSED PROCESS.  14-1/2" 9.54, J-55 4500' 300 sacks  15-1/4" 8-5/8" 4-1/2" 9.54, J-55 4500' 300 sacks  16-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				OFFICE+			
ROPERTY OR LEASE LINE, FT.  Also to nearest drig. unit line, if any)  19. PROPOSED DEPTH  20. ROTARY OR CARLE TOOLS  19. PROPOSED DEPTH  20. ROTARY OR CARLE TOOLS  22. AFFROX, DATE WORK WILL START'  August 26, 1965  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF ROLE  12-1/4"  8-5/8"  20-8, H-40  350"  12-1/4"  8-5/8"  20-8, H-40  350"  22. AFFROX, DATE WORK WILL START'  August 26, 1965  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF ROLE  12-1/4"  8-5/8"  20-8, H-40  350"  22. AFFROX, DATE WORK WILL START'  August 26, 1965  PROPOSED CASING AND CEMENTING PROGRAM  12-1/4"  8-5/8"  20-8, H-40  350"  22. AFFROX, DATE WORK WILL START'  August 26, 1965  PROPOSED CASING AND CEMENTING DEPTH  QUANTITY OF CEMENT  12-1/4"  8-5/8"  300 sacks  PROPOSED PROGRAM: If proposed is to depen or plug back, give data on present productive zone and proposed new productive if proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout ter program, if any.  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WORK WILL START'  August 19, 1965  PROPOSED CASING AND CEMENT TO STATE OF THE WILL START'  AUGUST TO THIS TOOLS  TO THIS	DISTANCE FROM PROPO	USED*		6. NO. OF ACRES IN LEASE	17. No. 0	OF ACRES ASSIGNED	New Mexic
ISTANCE PROM PROPOSED LOCATION 4500 1 20. ROTARY OR CABLE TOOLS ON ARREST WELL, DRILLING, COMPLETED, ON ARREST WELL, DRILLING, COMPLETED, AFFERDOW, ON THIS LEASE, Fr. 4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF CASING WEIGHT PER POOT SETTING DEPTH QUANTITY OF CEMENT 12-1/4" 8-5/8" 209, H-40 350 223 sacks 7-7/8" 4-1/2" 9.54, J-55 4500 300 sacks  Flow Out Preventer Program:  The intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer ith blind rams and pipe rams.  SIZE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive for program, if any.  District Superintendent  Date August 19, 1965  Date Tools To	PROPERTY OR LEASE I	LINE, FT.		560	TO TE	HIS WELL	
EVALUATE POR, ON THIS LEASE, FT.  4403 GR  PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  12-1/4"  13-5/8"  12-1/4"  3-5/8"  4-1/2"  9-54, J-55  Liou Out Preventer Program:  12-intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer ith blind rams and pipe rams.  13-1/4 Itherefore Program:  14-1/4 Itherefore Program:  15-1/4 Itherefore Program:  15-1/4 Itherefore Program:  16-1/4 Itherefore Program:  16-1/4 Itherefore Program:  17-1/4 Itherefore Program:  18-1/4 Itherefore Proposed Program:  18-1/4 Itherefore Program:  18-1/4 Itherefore Program:  18-1/4 Itherefore Program:  19-1/4 Itherefore Program:  19-1/4 Itherefore Program:  10-1/4 Itheref	DISTANCE FROM PROF	POSED LOCATION*	1	9. PROPOSED DEPTH	20. коты	RY OR CABLE TOOLS	
PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  SIZE OF CASING  WEIGHT PER FOOT  SETTING DEPTH  QUANTITY OF CEMENT  350 SECKS  SIZE OF HOLE  SIZE OF CASING  SIZE OF HOLE  SIZE OF HOLE  SIZE OF HOLE  SIZE OF CASING  SIZE OF CEMENT  QUANTITY OF CEMENT  SIZE OF HOLE  SIZE OF CASING  SIZE OF HOLE  SIZE OF CASING  SIZE OF HOLE  SIZE OF CASING  SIZE O	R APPLIED FOR, ON TH	IS LEASE, FT.		45001	<u> </u>		
PROPOSED CASING AND CEMENTING PROGRAM  SIZE OF HOLE  SIZE OF CASING  VEIGHT PER FOOT  12-1/4"  8-5/8"  7-7/8"  4-1/2"  9.54, J-55  4500"  300 sacks  NOW Out Preventer Program:  See intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer ith blind rams and pipe rams.  NOW SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive if proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout ter program, if any.  H. N. Brown  TITLE  District Superintendent  DATE  August 19, 1965  This space for Federal or State office use)	LEVATIONS (Show who		95				
NEE OF HOLE  12-1/4"  8-5/8"  7-7/8"  4-1/2"  9.54, J-55  4500'  200 sacks  NOW Out Preventer Program:  12 intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  12 intend to use a 10" Ser. 900 sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  13 intended to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  14 intended to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  15 intended to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  16 intended to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  17 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  18 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  19 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  10 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  10 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  10 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  10 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  11 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  12 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  13 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  14 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  15 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  16 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  17 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.  18 intended Hydraulic Blow Out Preventer with blind rams and pipe rams.		4403 6		AND CENTENTIAL DECCE		August 26,	1965
12-1/4" 8-5/8" 20\$, H-40 350 223 sacks 7-7/8" 4-1/2" 9.5\$, J-55 4500 300 sacks  Flow Out Preventer Program:  The intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  The space describe Proposed Program: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout the program, if any.  This space for Federal or State office use)		1			M :		
7-7/8"  4-1/2"  9.5%, J-55  4500'  300 sacks  Note that the space describe proposed program:  We space describe proposed program:  If proposal is to deepen or plug back, give data on present productive zone and proposed new productive it proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout ter program, if any.  District Superintendent  DATE August 19, 1965  This space for Federal or State office use)					404		NT
Flow Out Preventer Program:  The intend to use a 10" Ser. 900 Sheffer Double Hydraulic Blow Out Preventer with blind rams and pipe rams.  The proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout ter program, if any.  This space for Federal or State office use)				530"	273		
This space for Federal or State office use)	Now Out Pre	venter Program	:	45 <b>00</b> 1	300	sacks	
This space for Federal or State office use)	Blow Out Pre	venter Program	: . 900 Sheffer	45 <b>00</b> 1	300	sacks	
This space for Federal or State office use)	Blow Out Preview to	venter Program	: . 900 Sheffer	45 <b>00</b> 1	300	sacks	
This space for Federal or State office use)	low Out Pre	venter Program	: . 900 Sheffer	45 <b>00</b> 1	300	sacks	
This space for Federal or State office use)	low Out Prede intend to the intend residue of the blind residue of the b	venter Program  use a 10" Ser  sms and pipe r  PROPOSED PROGRAM: If	. 900 Sheffer	Double Hydraulic	Blow On	sacks  ut Preventer	d new productive ss. Give blowout
	Slow Out Prediction of the intendity of the blind red over the blind r	venter Program  use a 10" Ser  sms and pipe r  PROPOSED PROGRAM: If  drill or deepen direction	proposal is to deepen tally, give pertinent da	Double Hydraulic  or plug back, give data on prata on subsurface locations and	Blow On	at Preventer  active zone and propose and true vertical depth	s. Give blowout
APPROVAL DATE	ove space describe If proposal is to conter program, if any	PROPOSED PROGRAM: If drill or deepen direction	proposal is to deepen tally, give pertinent da	Double Hydraulic  or plug back, give data on prata on subsurface locations and	Blow On	at Preventer  active zone and propose and true vertical depth	s. Give blowout
<i>→</i> 114 1 1	ove space describe If proposal is to deter program, if any	PROPOSED PROGRAM: If drill or deepen direction	proposal is to deepen tally, give pertinent da	Double Hydraulic  or plug back, give data on prata on subsurface locations and	Blow On	at Preventer  active zone and propose and true vertical depth	s. Give blowout

\*See Instructions On Reverse Side

## Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone. Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1963—O-711-396

## NEW XICO OIL CONSERVATION COMMISSION WELL LUCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section.

Operator Champlin Petroleum Company			Lease Leuck-Fedural 11 12 AV 2		70 All 40-	Well No.
Hon-operator: Warren Averican Oil Company Unit Letter Section Township			Range County			3
H		-S	33-E	F	locseveli	
Actual Footage Locatio	eet from the	line and	00 <b>0</b> fee	A 6 Ab	East	lin -
Ground Level Elev:	Producing Formation	line and		t from the	· 12·	line licated Acreage:
4403	San Andres		Undesignet	ec		40 Acres
1. Outline the a	acreage dedicated to the	e subject well	by colored pencil o	r hachure r	narks on the p	lat below.
2. If more than interest and i	one lease is dedicate royalty).	d to the well, o	utline each and ide	ntify the o	wnership there	of (both as to working
	one lease of different on munitization, unitization	-		have the ir	nterests of all	owners been consoli-
Yes	No If answer is	"yes," type of co	onsolidation			
If answer is this form if no	"no," list the owners a	nd tract descript	tions which have ac	ctually been	n consolidated	l. (Use reverse side of
	will be assigned to the	well until all int	terests have been o	consolidate	d (by commun	nitization, unitization,
forced-pooling	g, or otherwise) or until	a non-standard u	nit, eliminating suc	h interests	, has been app	proved by the Commis-
	1				CI	ERTIFICATION
			<b>†</b>			ERMICATION
	the Aventage		IN DOKE	<b>-9</b> , 4a	I hereby certi	fy that the information con-
	ME4 ME4		NECKE	. 11		is true and complete to the
			1980'		best of my kno	owledge and belief.
	i		1		Name ii.	N. Brown
	-+	<del> </del>	<del> </del>			Superintendent
	{ 				Position Chamblin	Petroleus Cospany
	i		0_		Company	
	N. 0	34778			August 19	<b>, 19</b> 65
	WANTE, W	Mel, S2N2.	52		Date	
		29	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			
	U. S.	INERALS	1		I harahy car	tify that the well location
			1		•	plat was plotted from field
	1		i	}		al surveys made by me or
	l İ		i			ervision, and that the same correct to the best of my
	i		<b> </b> 		knowledge and	
	- <del>+</del>	<del> </del>	· - +		July	STEEL S
	I I				Date Surveyed	NO SUPL
			] ] ,		Registered From	essional Engliseer
			 		1	1069
					Certificate No.	
0 330 550 100	1330 1550 1080 3310	3000	1500 1000 5	100	944	1000