Fgrm 9-330		HOBBS OFFI	CE O o a				
(Rev. 5-68)		UNITED S		SUBMIT	IN DUPLICA	TE• F	orm approved. udget Bureau No. 42–R355.5.
	DEPARTMENT DESTRICTION (See other Instructions on reverse side)					ions on	IGNATION AND SERIAL NO.
77 4	G	SEOLOGICAL	SURVE	Y	revers	NM	100001/0
WELL CO	MPLETION	OR RECOMP	ETION	REPORT A	אם ו ספ	* 6. IF INDIAN,	ALLOTTEE OR TRIBE NAME
a. TYPE OF WE	LL:oil	GA8		***	TD LOC		
b. TYPE OF CO	WELI MPLETION:	WELL	(,) DRY (,)	Other		7. UNIT AGRE	EMENT NAME
NEW X	WORK DEEP OVER EN	PLUG BACK	DIFF.	Other		S. FARM OR L	EASE NAME
2. NAME OF OPERATOR							RRELL-USA
AMPRESS OF OP	merica	L'Etro	leum	lorp.		9. WELL NO.	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements).							POOL, OR WILDCAT
At surface	RO'FNI x 66	O'FEL, Sec	28/11	U CE	NEL	11. SEC., T., R	M., OR BLOCK AND BURVEY
At top prod. in	terval reported belo	"	.20,(0	NII 17, 56/	4 14 6/4	, , , , , , , , , , , , , , , , , , ,	77 81 00 00
At total depth						28-7-	33 MMPM
		[T	4. PERMIT NO	D. DAT	E ISSUED	12. COUNTY OF	13. STATE
	<u>an jere z</u> a objek	<u>Charamera .</u> .	e di		. 1	KOO SEVEL	ا مد اما
DATE SPUDDED	16. DATE T.D. REA	CHED 17. DATE CO.	MPL. (Ready	to prod.) 18. EL	EVATIONS (DF.		19. ELEV. CASINGHEAD
1- 21-66 TOTAL DEPTH. MD	1-30-6	BACK T.D., MD A TVD	<u>ౘౣౚ</u> ఄ౷	LTIPLE COMPL.,	4412	R.D.B	
1116		111	How	MANY.	23. INTER		CABLE TOOLS
PRODUCING INTE	RVAL(S), OF THIS CO	OMPLETION—TOP, BOT	TOM, NAME (MD AND TVD)*	1	> 10-TD	25. WAS DIRECTIONAL
•	•	_	•				SURVEY MADE
1235-4	404 W/21	SPF SA	N AN	DRES			No
	AND OTHER LOGS RU	N				2	7. WAS WELL CORED ~
· (JAM)	MATRON			· ·			NO_
CASING SIZE	WEIGHT, LB./FT			port all strings set		NTING RECORD	· · · · · · · · · · · · · · · · · · ·
8 1/8	24 #	126		114		250	AMOUNT PULLED
4 1/2	9.5 #	4446	<u>-</u>	77/0"	4	200	
ŧ				-1-7-8	•	<u> </u>	
G (3.7	 		
SIZE		NER RECORD	KS CEMENT®	L sones (see)	30.	TUBING RECOR	D -
		BACI	IS CEMENT.	SCREEN (MD)	23/0	DEPTH SET (MD)	PACKER SET (MD)
					<u> </u>	4142	
PERFORATION REC	ORD (Interval, size	and number)	0 FQ /2	82. AC	ID, SHOT, F	RACTURE, CEMENT S	SQUEEZE, ETC.
6-68 74-	75 79-80 B	51-54, 56-5	4300-0			AMOUNT AND KIND	
66-68, 74-75, 79-80, 83-87, 90-91, 4300-01 4235-4404 3000 3-04, 08-10, 70-72, 78-81, 94-97, 4402-04 4235-4404						000gal aci	U
0/2JSPF						OF-180,000	galoil
						36,450	Bank
•			PROI	DUCTION		<u> </u>	PILLASS BLOCK
FIRST PRODUCTI	ON PRODUCT	ION METHOD (Flowing	ig, gas lift, pi	umping—size and t	ype of pump)	WELL ST	ATUS (Producing or
2-13-6	$6 \mid F_{L}$	OWING				PRO	DUCING
2-13-66	HOURS TESTED	CHOKE SIZE P	ROD'N. FOR EST PERIOD	OIL—BBL.	GAS-MCF.	WATER-BBL.	GAS-OIL BATIO
W. TUBING PRESS.	CASING PRESSURE	CALCULATED O	1LBBL.	GAS—MCF.	13	5 0	145
250		24-HOUR RATE	220	171	"	ATER-BE. OI	L GRAVITY-API (CORR.)
DISPOSITION OF GA	8 (Sold, used for fu	ol, vented, etc.)	<u> </u>		-الن	TEST WITNESSE	D BY
Uint	ed	<i>i</i> .			2		
LIST OF ATTACHE	ENTS				-		
	that the foresolar	nd attached to a			:-!		
5-M	the foregoing a	mu attached informa	ition is compl	ete and correct as	determined i	from all available reco	rds
SIGNED		<u> </u>	TITLE (100000	XUDA	/	2-15-66
DIGNED			TITLE		JUNE	DATE:	
SIGNED	1/0 1	structions and Sp			1.0ger	DATE _	

KUUU XUBO

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

be listed on this form, see item 35. If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

or Federal Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hem 22: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing them 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing them 25 and 26: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing them is a separate report (page) on this form, adequately identified, in item 33. Submit a separate report (page) on this form, adequately identified, in item 34. office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval tem 33: tem 29: Submit a separate completion report on this form for each interval to be separately produced. "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

UMMARY OF POROUS ZONES: show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, plowing and shut-in pressures, and recoveries FORMATION TOP HOTTOM Ole . DESCRIPTION, CONTENTS, ETC. 38 San andres NAME GEOLOGIC MARKERS MEAS. DEPTH 3432 2965 2265 TOP TRUE VERT. DEPTH