

CITY ROOSEVELT		FIELD Chavero		STATE NM	
OPR	KERN COUNTY LAND COMPANY			MAP	
7 Federal 26					
Sec. 26, T-7-S, R-33-E			CO-ORD		
1980' FSL, 660' FEL of Sec.			MX 10525		
Spd 6-5-66		CLASS		EL [REDACTED]	
Cmp 6-18-66		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
7"	1808'	350			
4 1/2"	4400'	350			
LOGS EL GR RA IND HC A					
TD 4400', PBD 4363'					

IP San Andres Perfs 4140-4262' Flwd 576 BOPD. Pot. Based on
2 hr test of 48 BO thru 30/64" chk., TP 140#, CP Pkr,
Gravity 26.8, GOR 459.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	4500'	TYPE
DATE			

	F.R. 4-14-66
	PD 4500' - SA
6-6-66	Drig. 1055' RB
6-13-66	Drig. 4330' 1m.
6-21-66	TD 4400', PBD 4363', WO Pot.
	Perf @ 4140', 4150', 4160', 4165', 4178',
	4200', 4214', 4229', 4234', 4257', 4262',
	W/1 SPI
	Ac (4140-4262') 2000 gals.
	Frac (4140-4262') 30,000 gals oil +
	45,000# sd.
	Flwd 48 BO in 2 hrs thru 30/64" chk.,
	TP 140#, CP Pkr, GOR 459, Gravity 26.8.
6-27-66	TD 4400', PBD 4363', COMPLETE.
	LOG TOPS: Yates 2255', San Andres 3415',
	Pi Zone 3982'.

RO

ms

3
KIMBLE-CHAMBERLAIN
TUFFEAK
FOLDER
TO RE-ORDER SPECIFY
No. 32 1/3 FOLDER
MADE IN U.S.A.

only

25197
8985
12049
30-041-10525

OIL POD 2072110 GAS POD 2072130
TRANSPORTER 20445 TRANSPORTER 23470
TRANSPORTER 15126 TRANSPORTER 4600
WATER POD 2072150 24650

