

COUNTY	ROOSEVELT		FIELD	Chaveroo		STATE	NM	
OPR	KERN COUNTY LAND COMPANY					MAP		
8 Federal 26								
Sec. 26, T-7-S, R-33-E					CO-ORD			
660' FSL, 660' FEL of Sec.					MX 10526			
Spd 5-11-66		CLASS		EL				
Cmp 5-25-66		FORMATION	DATUM	FORMATION	DATUM			
LOGS & SX - TUBING								
LOGS EL GR RA IND HC A		TD 4376', PBD 4333'						
IP San Andres Perfs 4153-4290' Flwd 528 BOPD. Pot. Based on 2 hr test of 44 BO + 1 B BS&W thru 40/64" chk., TP 120#, CP 420#, GOR 659.								
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.								
CONT.	Tom Brown		PROP DEPTH	4500'		TYPE		
DATE								

F.R. 4-14-66
PD 4500' - SA
Contractor - Tom Brown Drlg. Co.
5-16-66 Drlg. 3660'.
5-23-66 TD 4376', prep to perf.
5-31-66 TD 4376', PBD 4333', WO Potential.
Perf @ 4153', 4166', 4172', 4178', 4194',
4226', 4245', 4251', 4256', 4262', 4272',
4290' W/1 SPI
Ac (4153-4290') 2000 gals.
Frac (4153-4290') 30,000 gals oil + 30,300#
sd.
Rec'd load
Flwd 44 BO + 1 B B&SW in 2 hrs thru 40/64"
chk., TP 120#, CP 420#, GOR 659.
6-6-66 TD 4376', PBD 4333', COMPLETE.
LOG TOPS: Top Salt 1898', Yates 2264',
San Andres 3430', Pi Marker 3991'.

R-9007 Inj. SA 4153-4290 w/ptn approx 4050' - Inj. press limit 800 Psi

APR 13 1966

WPA

44

TEMPORARY ABANDON