

COUNTY	ROOSEVELT		FIELD	Chaveroo		STATE	NM	
OPR	PAN AMERICAN PETROLEUM CORP.						MAP	
	5 State "DB"							
	Sec. 25, T-7-S, R-33-E						CO-ORD	
	1980' FNL, 1980' FWL of Sec.						MX 10552	
	Spd 4-21-66		CLASS		E			
	Cmp 5-12-66							
			FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING								
8 5/8" 442' 250								
4 1/2" 4415' 800								
LOGS EL GR RA IND HC A								
			TD 4415', PBD 4385'					

IP San Andres Perfs 4182-4380' Flwd 185 BOPD. Pot. Based on 7 hr test of 54 BO thru 14/64" chk., TP 250#, CP 425#, Gravity 25.5, GOR 950.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus Drlg. Co.	PROP DEPTH 4375'	TYPE
DATE		

F.R. 4-21-66; Opr's Elev. 4330' KB
PD 4375' - SA
Contractor - Cactus Drlg. Co.
4-25-66 Drlg. 3450'.
5-2-66 TD 4415', PBD 4385', prep to Ac.
Perf 4337-50' W/O SPB
5-9-66 TD 4415', PBD 4385', Flwg load.
Ac (4337-50') 1000 gals; IR 4 BPM
Swbd 58 BLW/5 hrs.
Perf 4182-85', 4207-10', 4217-10',
4230-45', 4252-54', 4275-57', 4275-74',
4285-96', 4300-96', 4303-74' O/L SPB
Ac (4182-1300') 200 gals; IR 4.1 BPM
Swbd 58 BLW 1/3 hr/12 hrs.
Frac (4182-4380') 30,000# sol. IR 38.1 BPM
Flwd 73 BLD 7' hrs thru 22, 3/4" chk.

ROOSEVELT Chaveros NM Sec. 25-7S-33E
PAN AMERICAN PET. CORP., #5 Stock "DP" Page #2

5-16-66 TD 4415', PBD 4385', COMPLETE.
LOG TOP: San Andres 3423'.

