INCLINATION REPORT

ONE COPY 1. JT BE FILED WITH EACH COMPLETIO. EPORT

Field Name	County	1650 6. 6.	RRC Dist. No.	
Operator MIDWEST OIL CORP.	Address 11 7	Log PN 366	City	
lease Name & No. MORGAN FED. TR. 4	Well No3	,	Survey	
	CORD OF INCLINAT	ION		
Angle of Depti (fect) Inclination (de		cement (feet)	Accumulative Displacement (feet)	
355 3/1 805 3/1	,	4.65 5.90	4,65	
		6.30	10.55 16.85	
2292 $11/2$ 2617 $13/0$		9.73 11.79	<u>- 26,58</u> - 38,37	
3108 11/2 3400 1		LO.83 L2.07	61,27	
37533/\(\begin{array}{cccccccccccccccccccccccccccccccccccc		3.83 4.62	65.10 69.72	
1,205 3/1 1,360 TD 3/1		5.92 2.03	75,64 77.67	
		Total Displace	ment 77.67	
Was survey run in Tubing	ll Pipe	pen Hole		
Distance to nearest lease line Distance to lease lines as prescribed by	feet	feet		
Certification of personal knowledge Incl	PARTICIA DE LA COMPANSION DE LA COMPANSI	reeu		
		-£ 41- 7-:		
I hereby certify that I have pers form, and that such information given ab	oove is true and	of the data and complete.	d facts placed on this	
	Ci m	nature	Carlott.	
	_		•	
• • • • • • • • • • • • • • • • • • • •	. CAC Com	TUS DRILLING CO	DRPORATION	
Operator Affidavit:	, , , , , , , , , , , , , , , , , , ,	400 and 400 pen (40 pen)	and the total and and and and the men only one	
Note: Party making affidavit must strike out inapplicable. Before me, the undersigned authority, on this day, per			ment when applicable.)	
mown to me to be the person whose name is subscribed operator of the well identified in this instrument (that he dentified in this instrument), and that such well was not well was deviated at random for the reason described in the	is acting at the direct	ing duly sworn, on oa	ha annanta a Cat	
	Sign	ature and Tit	e of Affiant	رے
Sworn and Subscribed to before me,	this the	day of	Hune,	
		7.7		

INFORMATION AND INSTRUCTIONS AS PER STATEWIDE RULE 54

II. INCLINATION SURVEYS

A. Requirement of

- l. An inclination survey made by persons or concerns approved by the Commission shall be filed on a form prescribed by the Commission for each well drilled or deepened with rotary tools or when as a result of any operation the course of the well is changed.
- a. The first shot point of such inclination survey shall be made at a depth not greater than 500 feet below the surface of the ground and succeeding shot points shall be made either at 500 foot intervals or at the nearest drill bit change thereto; but not to exceed 1000 feet apart.
- 2. Inclination surveys conforming to these requirements may be made either during the normal course of drilling or after the well has reached total depth. Acceptable directional surveys may be filed in lieu of inclination surveys.
- 3. Copies of all directional or inclination surveys, regardless of the reason for which they are run, shall be filed as a part of or in addition to the inclination surveys otherwise required by this rule.

B. Reports

- l. The report form prescribed by the Commission shall require that it be signed and certified by a party having personal knowledge of the facts therein contained.
- a. The report shall include a tabulation of the maximum drifts which could occur between the surface and the first shot point and each two successive shot points, assuming that all of the unsurveyed hole between any two shot points has the same inclination as that measured at the lowest shot point, and the total possible accumulative drift, assuming that all measured angles of inclination are in the same direction.
- 2. In addition, the report shall be accompanied by a sworm statement of the operator, or of someone acting at his direction on his behalf either, (1) that the well was not intentionally deviated from vertical whatsoever or, (2) that the well was deviated at random, with an explanation of the circumstances.
- 3. The report shall be filed in the District Office of the Commission for the district in which the well is drilled, by attaching one copy to each appropriate completion form for the well.
- 4. The Commission may require the submittal of the original charts, graphs, or discs resulting from the surveys.