



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Cactus Drilling Corporation of Texas Keweenaw State
(Company of Operator) (Lease)

Well No. 1, in SE 1/4 of NE 1/4, of Sec 9, T. 7 S., R. 35 E., NMPM.
Undesignated Pool, Roosevelt County.

Well is 660 feet from East line and 1980 feet from North line
of Section 9. If State Land the Oil and Gas Lease No. is 00 1287

Drilling Commenced 6/2, 1966 Drilling was Completed 6/11, 1966

Name of Drilling Contractor Cactus Drilling Company

Address Hobbs, New Mexico

Elevation above sea level 4241 D.P. The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 4195 to 4200 No. 4, from to
No. 2, from 4220 to 4265 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	20#	New	349				surface
4-1/2	10.5#	New	4360	Howco		4195-4199	Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	8-5/8	361	300	Circulated		
7-7/8	4-1/2	4370	150	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perfs 4342-47, treated w/500 gal acid, recovery water, bridged off
Perfs 4195-4264, treated w/1500 gal acid, recovery water & oil, died, squeezed off
perfs 4244-63, treated w/1500 gal acid, recovery acid water, bridged off
Perfs 4223-4239, treated w/1000 gal acid, recovery acid water, squeezed off
Perfs 4233-39, treated w/500 gal acid, recovery water w/trace oil, squeezed off
Perfs 4258-61, treated w/1500 gal acid, recovery water & gas, bridged off to 4215
Perfs 4195-99, treated w/500 gal acid, snubbed in gas.

Well ready to produce August 18, 1966. Depth Cleaned Out.

RECORD OF DRILL-STEM AND SPECIAL TS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4370 TD feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 9/1, 1966 (Tested)

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was 723 M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure 600 lbs.

Length of Time Shut in Gas well shut in after testing for lack of market 9/2/66

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy			T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2335		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen			T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres	3450		T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn			T.		T.
T. Miss			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2140	2140	R. Bed & Salt				
2140	2335	195	Anhy & salt				
2335	2440	105	Sand				
2440	3450	1010	R. Bed, sand & anhy				
3450	4370	920	Dolo w/anhy strks				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

10/19/66
Company or Operator Cactus Drilling Corp of Tex Address Drawer 2068, Hobbs, New Mexico
Name J. W. 1. 36. 2. Position Title Vice President