Form 9-330
(Rev. 5-63)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE (See other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

5. LEASE DESIGNATION AND SERIAL NO.: NM 0115592

6. IF INDIAN, ALLOTTEE OR TRIBE NAME: -

7. UNIT AGREEMENT NAME: -

8. FARM OR LEASE NAME: Alcorn

9. WELL NO.: 1

10. FIELD AND POOL, OR WILDCAT: Milnesand-San Andres

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA: Sec. 28-8S-35E, N.M.P.M.

1a. TYPE OF WELL: OIL WELL [X] GAS WELL [ ] DRY [ ] Other

b. TYPE OF COMPLETION: NEW WELL [X] WORK OVER [ ] DEEP-EN [ ] PLUG BACK [ ] DIFF. RESVR. [ ] Other

2. NAME OF OPERATOR: Tom L. Ingram

3. ADDRESS OF OPERATOR: P. O. Box 1757 - Roswell, New Mexico

4. LOCATION OF WELL (*Report location clearly and in accordance with any State requirements*)*
At surface: 330' FNL & 330' FWL, Sec. 28-8S-35E
At top prod. interval reported below: Same
At total depth: Same

14. PERMIT NO.: --
DATE ISSUED: --

12. COUNTY OR PARISH: Roosevelt
13. STATE: New Mexico

15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (*Ready to prod.*)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*	19. ELEV. CASINGHEAD
8-12-66	8-22-66	8-31-66	4206 KB	4195

20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS
4718	4714	--	→	0-TD	

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*: 4684-4718 - San Andres

25. WAS DIRECTIONAL SURVEY MADE: No

26. TYPE ELECTRIC AND OTHER LOGS RUN: Gamma Ray Sonic, Neutron, Density, Laterolog and Microlaterolog

27. WAS WELL CORED: Yes

28. CASING RECORD (*Report all strings set in well*)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24# J-55	408'	11"	250 sx Neat	None
4-1/2"	9.5 & 11.60# J-55	4718	7-7/8"	250 sx 50-50 Pozmix	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)

30. TUBING RECORD

SIZE	DEPTH SET (MD)	PACKER SET (MD)
2-3/8"	4710	No

31. PERFORATION RECORD (*Interval, size and number*)
4684, 4686, 4696 and 4699
1/2"
4 holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4684 to 4699	750 gallons Spearhead

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (*Flowing, gas lift, pumping—size and type of pump*)	WELL STATUS (*Producing or shut-in*)
8-30-66	Swabbing and flowing	Producing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD →	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
8-31-66	24	3/4"		75	112	0	1500 to 1

FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE →	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)
10	--		75	112	0	29

34. DISPOSITION OF GAS (*Sold, used for fuel, vented, etc.*): Awaiting pipeline connection

TEST WITNESSED BY: Tom L. Ingram

35. LIST OF ATTACHMENTS: Core, Hole Deviation and Logs

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED Tom L. Ingram TITLE Operator DATE 8-31-66

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: *"Sacks Cement":* Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
San Andres	4681	4718	Recovered 37' being: 1/2' Anhydrite and 36-1/2' Dolomite bleeding oil and gas.

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Rustler	2224	Same
Yates	2716	Same
San Andres	3942	Same

U.S. GOVERNMENT PRINTING OFFICE: 1963—O-683636

HOLE DEVIATION

Tom L. Ingram
No. 1 Alcorn
Sec. 28-8S-35E
Roosevelt County, New Mexico

400' - 1/2°

887' - 1/2°

1374 - 1/4°

1870' - 3/4°

2276 - 1°

2748' - 1°

3261' - 1/2°

3721' - 1/2°

3939' - 1/2°

4370' - 1/4°

4718' - 1/2°

STATE OF NEW MEXICO)
) SS.
COUNTY OF CHAVES)

I certify that this is a true and correct statement of the Hole Deviation for the No. 1 Alcorn, Section 28, T-8-S, R-35-E, Roosevelt County, New Mexico

By: _____

Title: Operator

Sworn and subscribed to before me the undersigned authority on this 31st. day of August, 1966.

_____
Notary Public

My Commission Expires: March 4, 1969