

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on
reverse side)Form approved.
Budget Bureau No. 42-R-124.

5. LEASE DESIGNATION AND SERIAL NO.

NM 050477

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BEK. AND
SURVEY OR AREASection 13
T-7-S, R-33-E NMPM

12. COUNTY OR PARISH 13. STATE

Roosevelt New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill on to, deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)1. OLD WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Oliver F. Featherstone II, Trust

3. ADDRESS OF OPERATOR

236 Petroleum Building, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1980' FNL, 1980' FEL, Sec. 13, T-7-S, R-33-E NMPM

14. PERMIT NO.

15. ELEVATIONS (Show whether DE, RT, GR, etc.)

4327' GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETION ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent
to this work.)*See SUNDRY NOTICE - Completion Attempts for Summary of Completion
Attempts, load oil used and recovered and reason for abandonment.

Perforations 4133' to 4229' = 96'

160' cement plug from 4080' to 4230' = 20 sacks cement.

Will attempt to pull 2500' 5-1/2" casing.

100' cement plug from 2050' to 2150' = 33 sacks cement. Base salt 2085'

100' cement plug from 1840' to 1940' = 33 sacks cement. Top salt 1810'

100' cement plug from 300' to 400' = 33 sacks cement. Bottom 8-5/8" 300'

20' cement plug from 0' to 20' = 7 sacks cement. with

regulation 4-1/2' marker pipe set 4' above surface.

18. I hereby certify that the foregoing is true and correct

SIGNED

Charles W. Hicks

TITLE

Co-Trustee

DATE

Sept. 1, 1967

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

APPROVED

SEP 5 1967

A. R. Brown

DISTRICT ENGINEER