

COUNTY <u>ROOSEVELT</u>		FIELD <u>Chaveroo</u>		STATE <u>NM</u>	
OPR <u>SOUTHERN PETROLEUM EXPLORATION, INC.</u>				MAP	
4 State "J"					
Sec. 25, T-7-S, R-33-E				CO-ORD	
990' ESL, 990' FEL of Sec.				30-043-2000	
Spd 1-17-67		CLASS		041 EL	
Comp 2-1-67		FORMATION		DATUM	
CSG & SX - TUBING		FORMATION		DATUM	
8 5/8" 343' 200					
5 1/2" 4470' 325					
LOGS EL GR RA IND HC A					
		TD 4470', PED 4450'			
IF San Andres Perfs 4253-4365' Pmpd 54 BOPD + 3 BW. Pot. Based on 24 hr test, gravity 25., GOR 550.					
Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.					
CONT. Sitten & Norton		PROP DEPTH 4500'		TYPE RT	
DATE					

F.R. 1-19-67
 PD 4500' - SA
 Contr. - Sitten & Norton
 1-23-67 Drlg. 4154'.
 1-30-67 TD 4470', WO Comp Unit
 2-6-67 TD 4470', RB Pump.
 Perf @ 4253', 4283', 4295', 4301', 4304',
 4317', 4323', 4327', 4335', 4346', 4365'
 W/1 SPI
 Acid (4253-4365') 2000 gals.
 Brac (4253-4365') 25,000 gals oil + 25,000# sd.
 1-20-67 TD 4470', PED 4450', WO Pot.
 1-27-67 TD 4470', PED 4450', COMPLETE.
 LOG TOPS: Archy 1865', B/Salt 2215', Yates
 2320', Queen 2960', San Andres 3500'.

R-9007 Inj. LA 4253-4365 w/ pkv approx 4150' - Inj press
limit 800 psi

JAN 12 1967 FEB 21 1967