

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

HOBBS OFFICE O. C. C.
NEW MEXICO OIL CONSERVATION COMMISSION
WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Form C-105
Revised 1-1-65

1a. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER _____		5a. Indicate Type of Lease State ☒ Fee ☐	
b. TYPE OF COMPLETION NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER _____		5. State Oil & Gas Lease No. K-1370	
2. Name of Operator SKELLY OIL COMPANY		7. Unit Agreement Name -----	
3. Address of Operator P. O. Box 730 - Hobbs, New Mexico 88240		8. Farm or Lease Name Hobbs "W"	
4. Location of Well UNIT LETTER "T" LOCATED 1650 FEET FROM THE North LINE AND 1650 FEET FROM THE West LINE OF SEC. 29 TWP. 7S RGE. 34E NMPM		9. Well No. 9	
		10. Field and Pool, or Wildcat Chaveroo San Andres	
15. Date Spudded 5-27-68		12. County Roosevelt	
16. Date T.D. Reached 6-5-68	17. Date Compl. (Ready to Prod.) 6-9-68	18. Elevations (DF, RKB, RT, GR, etc.) 4320.4' KB	19. Elev. Casinghead -----
20. Total Depth 4500'	21. Plug Back T.D. 4455'	22. If Multiple Compl., How Many -----	23. Intervals Drilled By Rotary Tools 0'-4500' Cable Tools -----
24. Producing Interval(s), of this completion - Top, Bottom, Name Dry Hole (Well Temporarily Abandoned)			25. Was Directional Survey Made No
26. Type Electric and Other Logs Run Borehole Compensated Sonic Log - Gamma Ray; Sidewall Neutron Porosity; Compensated Formation Density; Laterolog; Microlaterolog			27. Was Well Cored No
28. CASING RECORD (Report all strings set in well)			
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE
8-5/8"	24#	360'	12-1/4"
4-1/2"	10.5#	4500'	7-7/8"
CEMENTING RECORD		AMOUNT PULLED	
250 Sacks		None	
500 Sacks		None	
29. LINER RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT
None			
30. TUBING RECORD		PACKER SET	
SIZE		DEPTH SET	
31. Perforation Record (Interval, size and number) Perforated 4-1/2" OD casing with 1 shot per interval as follows: 4369', 4399', 4403', 4413', 4419', 4425', 4432', 4438', and 4443', for a total of 9 shots.		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.	
DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED	
4369-4443'		4,000 gals. 28% Acid using 20 ball sealers.	
33. PRODUCTION			
Date First Production -----	Production Method (Flowing, gas lift, pumping -- Size and type pump) -----		Well Status (Prod. or Shut-in) Shut-in
Date of Test 6-9-68	Hours Tested 12	Choke Size ---	Prod'n. For Test Period 0
Flow Tubing Press. -----	Casing Pressure -----	Calculated 24-Hour Rate -----	Oil - Bbl. 0
			Gas - MCF 0
			Water - Bbl. 137
			Gas - Oil Ratio 0
			Oil Gravity - API (Corr.) -----
34. Disposition of Gas (Sold, used for fuel, vented, etc.) -----			Test Witnessed By -----
35. List of Attachments Deviation Record, Logs			
36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.			
SIGNED (ORIGINAL SIGNED) V. E. Fletcher		TITLE District Superintendent	DATE June 24, 1968

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy 1990'	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates 2394'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 3082'	T. Devonian	T. Menefee	T. Madison
T. Queen 3200'	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 3567'	T. Simpson	T. Gallup	T. Ignacio Qtzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	San Andres Fl Marker-4138'
T. Blinebry	T. Gr. Wash	T. Morrison	San Andres P-1 Zone -4252'
T. Tubb	T. Granite	T. Todilto	San Andres P-2 Zone -4338'
T. Drinkard	T. Delaware Sand	T. Entrada	San Andres P-3 Zone -4373'
T. Abo	T. Bone Springs	T. Wingate	San Andres P-4 Zone -4450'
T. Wolfcamp	T.	T. Chinle	T.
T. Penn.	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn. "A"	T.

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1990'	1990'	Sand and Red Beds				
1990'	2394'	404'	Anhydrite				
2394'	3082'	688'	Yates				
3082'	3200'	118'	Seven Rivers				
3200'	3567'	367'	Queen				
3567'	4138'	571'	San Andres				
4138'	4252'	114'	San Andres Fl Marker				
4252'	4338'	86'	San Andres P-1 Zone				
4338'	4373'	35'	San Andres P-2 Zone				
4373'	4450'	77'	San Andres P-3 Zone				
4450'	4500'	50'	San Andres P-4 Zone				
	4500'		TOTAL DEPTH				
	4455'		PSTD				

Date June 24, 1968

HOBBS OFFICE O. C. C.

Jun 25 10 28 AM '68

New Mexico Oil Conservation Commission

P. O. Box 1980

Hobbs, New Mexico 88240

State of New Mexico

County of Lea

V. E. Fletcher

of lawful age, being first duly sworn deposes and says:

That he is employed by Shelly Oil Company in the capacity of District Superintendent and is fully acquainted with the facts so set forth herein.

That during the months of May and June 1968 Cactus Drilling Company

on the following Deviation Surveys: Box 730; Hobbs, New Mexico; Hobbs "W"

well No. 9 in SE 1/4 of NW 1/4 of Sec. 29-7S-34E T. 1N. R. 1E. Chaveroo San Andres

Roosevelt County, New Mexico.

EXHIBIT

Depth in Feet	Angle in Degrees	Depth in Feet	Angle in Degrees
350'	1/2	3327'	3/4
841'	1/2	3600'	3/4
1333'	3/4	3890'	1-1/2
1700'	1	4100'	2
2196'	1	4377'	1-3/4
2600'	1-1/4	4470'	1-1/4
2800'	1-1/4		
3276'	1-1/4		

Subscribed and sworn to before me this 24th

day of June 1968

William F. Griffith

Notary Public in and for the State of New Mexico

My commission expires August 7, 1969

I have read the foregoing and certify that the same is true and correct to the best of my knowledge and belief.

O. E. Fletcher

District Superintendent

P.O. Box 730 - Hobbs, New Mexico 88240