Form 9-331 (May 1963) DEPART	<u>N.M.O.C.D</u> UN:≍⊂D STATES MEI OF THE INTERIO GEOLOGICAL SURVEY	SUBMIT IN TRIPI	
(Do not use this form for propo	TICES AND REPORTS OF paals to drill or to deepen or plug bac ATION FOR PERMIT—" for such prop	k to a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. OIL X GAS OTHER			7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
TOM L. INGRAM			Federal "N"
3. address of operator P. O. Box 1757, Roswe	11 Nov Maxiao 99201		9. WELL NO.
		ate requirements.*	10. FIELD AND POOL, OR WILDCAT
<ul> <li>LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface</li> <li>660' FEL of Section 23.</li> </ul>		Undesignated-San Andres 11. SEC. T., E., M., OB BLK. AND SUBVEY OF AREA	
14. PERMIT NO.	15 Provaniava (Show whather pp. m		23-85-37E
14. FERMIL NU.	15. ELEVATIONS (Show whether DF, R) 4000' Gr	r, Gr, etc.)	12. COUNTY OF PARISH 13. STATE ROOSEVELT New Mexico
	ppropriate Box To Indicate Nat	ure of Notice, Report, or (	Other Data
NOTICE OF INTE	NTION TO:	SUBSEQ	UENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
SHOOT OR ACIDIZE	MULTIPLE COMPLETE	FRACTURE THEATMENT SHOOTING OR ACIDIZING	ALTERING CASING
	CHANGE PLANS	$\frac{J \& A}{(Other)} = \frac{J \& A}{J \& A}$	
(Other)		(NOTE: Report result: Completion or Recomp	s of multiple completion on Well detion Report and Log form.)
proposed work. If well is directinent to this work.)* 6-11-81 to 6-18-81	exations (Clearly state all pertinent of onally drilled, give subsurface location	letalls, and give pertipent dates is and measured and true vertic	, including estimated date of starting any al depths for all markers and zones perti-
backed off, ran jars, Plan to abandon with 3 at base of surface cas	hole to 2156'. Stuck backed off, ran wash p 05' of drill collars a ing and 10 sx plug at	ipe. Unable to get nd bit in hole. Wi surface with marker	t over fish. ill spot 25_sx_plug
REST CEMENT PLUG	hole and commence agai FROM 1700'~1800	p /	JUN 2
@ HEAVY MUD-LADEN BETWEEN ALL CEN	DENT PLUD TO BE P NENT PLUGS	ACED	
3 SET FRESH WATER	2 PLUG FROM 150'-38	JUN 2 2 19	
	- <b>A</b>		
18. I hereby certify that the foregoing is SIGNED		erator	DATE6-18-81
	4	<del></del>	
(This space for Federal APPROVED BT Conditions of APPROVAL, IF A	haaman TITLE		DATE
JUN 23	1981		
JAMES A. GI		n Reverse Side	

		W. TO O.	<b>6.</b> L			
Form 9-331 (May 1963)	DEPARTM	NI'I _D STATES ENT OF THE INT OLOGICAL SURVE	ERIOR (Other in verse side)	IN TRIPLIC. E• structions on re-	Form appro Budget Bur 5. LEASE DESIGNATION NM-14012	eau No. 42-R1424.
(Do not use t	JNDRY NOTIC this form for proposale Use "APPLICATI	to drill or to deepen or N FOR PERMIT-" for F	TS ON WELLS		6. IF INDIAN, ALLOTTI	
OIL GAS WELL X GAS WELL 2. NAME OF OPERATO			JUN	4 1961	8. FARM OR LEASE NA	ME
3. ADDRESS OF OPERA P.O. Box 1	757, Roswel		88201 10003	OGICAL SU , NEW MEXI	Federal ''N' RVEWELL NO. CO 2	I
<ol> <li>LOCATION OF WELL See also space 17 At surface</li> </ol>	. (Report location clea below.)	ly and in accordance with	a any State requiremen	ts.•	10. FIELD AND FOOL, O Undesignate 11. SEC., T., E., M., OE SUBVEY OR ABE	BLK. AND
660 FSL &	FEL of Sec. 2	3 15. ELEVATIONS (Show wheth	ber DF. RT. GR. etc.)		23-85-37E	
		4000 Gr	·		Roosevelt	H 13. STATE NM
16.	Check Appr NOTICE OF INTENTIO	opriate Box To Indica	ite Nature of Notic		Other Data	
TEST WATER SHU FRACTORE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSEI proposed work, nent to this work		L OR ALTER CASING TIPLE COMPLETE NDON <sup>4</sup> NGE PLANS IONS (Clearly state all per y drilled, give subsurface	SHOOTING (Other)	TREATMENT OR ACIDIZING E: Report results oletion or Recompl	ALTERING C ABANDONME of multiple completion etion Report and Log fo	On Well
6/1/81:	U.S.G.S. Hob	bs office notif	ied that opera	tions will	begin 6/2/81.	
6/2/81: Drilled out surface plug w/ll" bit. Top 15' of 12 3/4" casing was split and was unsafe. Cleaned out to 230'. Ran 8 joints (185.40') 8 5/8 24# J-55 casing set at 200' w/l00 sx Class H & 2% CACL circ. 10 sx.						
6-3-81:	WOC 18 hrs.	Tested casing t	to 1000 psi fc	or 30 minute	es. Held ok.	

18. I hereby cer SIGNED	tily that the foregoing to true and correct	Dperator	6/3/81
APPROVED	for Federal ACELEPTEDEFOR RECORD BY PETER W. CHESTER IS OF APPROVAL, IF ANY: JUN 8 1981	TITLE	DATE
	U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO	Instructions on Reverse Side	

Porm 9-331 (May 1963) UNITED ST DEPARTMENT OF T		SUBMIT IN TRIFLICATE (Other Instructions on r verse side)			
	GEOLOGICAL SURVE		NM-14012		
			6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
(Do not use this f	ORY NOTICES AND REPOR orm for proposals to drill or to deepen or Use "APPLICATION FOR PERMIT—" for	IS ON WELLS plug back to a different reservoir.			
1. OIL GAS WELL WELL	OTHER 5	RECEIVED	7. UNIT AGREEMENT NAME		
2. NAME OF OPERATOR		MAR 9 1981	8. FARM OR LEASE NAME		
TOM L. INGRAM			Federal "N"		
3. ADDRESS OF OPERATOR		U.S. GEOLOGICAL SURVEY			
P. 0. Box 175	7, Roswell, New Mexico 8	OZNINDDC NEW MEXILU	2		
4. LOCATION OF WELL (Re See also space 17 below At surface	port location clearly and in accordance wit	h any State requirements.*	10. FIELD AND POOL, OR WILDCAT		
		CUTRIA	Undesignated 11. SEC., T., R., M., OR BLK. AND		
660 FSL & FEL of Section 23 RE-ENTRY		SUBVEY OR AREA			
			23-85-37E		
14. PERMIT NO.	15. ELEVATIONS (Show whet	her DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE		
	4000 Gr		Roosevelt NM		
16.	Check Appropriate Box To Indice	ate Nature of Notice, Report, or	Other Data		
N	TICE OF INTENTION TO :	SUBSE	QUENT REPORT OF:		
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL		
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING		
SHOOT OR ACIDIZE	ABANDON*	SHOUTING OR ACIDIZING	ABANDON MENT*		
REPAIR WELL	X CHANGE PLANS	(Other)			
(Other)		(NOTE: Report resul Completion or Recom	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
17. DESCRIBE PROPOSED OR proposed work. If nent to this work.)*	COMPLETED OPERATIONS (Clearly state all pe well is directionally drilled, give subsurface	rtineut details, and give portinent date	s, including estimated date of starting any cal depths for all markers and zones perti-		

Originally drilled as Jack L. McClellan No. 1 Suzanne-Federal to a total depth of 9450'.

We plan to drill out plugs to 4950', run  $4\frac{1}{2}$ " casing, cement, perforate, stimulate and complete in the San Andres. BOP will be used.

The surface will not have to be disturbed as the roads and location are present.

18. I hereby certify that the foregoing in the and correc SIGNED SIGNED	TITLE Operator	DATE 3/5/81
(This space for Federal or State office use)		
APPROVED BY CONDITIONS OF APPROVAL, IF ANY :	TITLE	DATE

\*See Instructions on Reverse Side