Form 3160 November Formerly	1983) 9–331) DEPARTM	UNI) STATES	I. M. DIL CONS. COMMISSIO P. O. BOKBIOSON TRIPL ROBE, MEMOMEXICO 88	'E• Budget Bureau Evoiras August	No. 1004-0135 31, 1985 AND BERIAL NO.	
(Do	SUNDRY NOTI	CES AND REPORTS alls to drill or to deepen or plug TION FOR PERMIT-" for such	ON WELLS	6. IF INDIAN, ALLOTTE		
				7. UNIT AGREEMENT NA	7. UNIT AGREEMENT NAME	
WELL A WELL OTHER					Todd Lower San Andres Unit	
2. NAME OF OPERATOR MURPHY OPERATING CORPORATION				8. FARM OR LEASE NAT		
3. ADDRESS OF OPERATOR				9. WELL NO.	Todd Lower S/A Ut.Sec.29	
P. O. Box 2648, Roswell, New Mexico 88202-2648				15	15	
4. LOCATION See also	• 07 WELL (Report location cle space 17 below.)	10. FIELD AND POOL, O	10. FIELD AND POOL, OR WILDCAT			
At surfa		Todd Lower S/	Todd Lower S/A Associated			
Unit Ltr. O, 660' FSL & 1980' FEL, Sec. 29, T-7S, R-36E				SURVEY OR AREA	11. BEC. T. B., M., OR BLK. AND SUBVEY OB AREA Sec. 29, T-7S, R-36E	
14. PERMIT	NO.	15. ELEVATIONS (Show whether DP, RT, GR, etc.)		12. COUNTY OR PARISH	13. STATE	
<u></u>		4140' R.D.B.		Roosevelt	New Mexico	
16.	Check App	propriate Box To Indicate	Nature of Notice, Report, a	or Other Data		
				BEQUENT REPORT OF:		
FRACTURE TREAT		ULTIPLE COMPLETE	WATER SHUT-OFF Fracture treatment Shooting or acidizing	BEPAIRING T ALTEBING C, X	ABING	
REPAIR	WELL CH	IANGE PLANS	(Other)			
(Other)			Completion or Rec	ults of multiple completion supletion Report and Log for	tm.)	
17. DESCRIBE propos	PROPOSED OR COMPLETED OPERA ed work. If well is directiona	ATIONS (Clearly state all pertine ally drilled, give subsurface loc	nt details, and give pertinent de ations and measured and true ve	ites, including estimated dat	e of starting any	
8-28-87 RU PU. Unseated pump & layed dn. polish rod. RU, dropped standing valve, press. up on tbg. to 500# psi, held okay. TOH w/pump & rods. TOH w/tbg. PBTD @ 4311.5 pumping well from 4274.15'. Picked up pkr. ADI & TIH w/tbg. & pkr. Set Pkr. @ 4173.30'. Pumped 220 gals. Xylene dn. tbg. & flushed w/12 bbls. fresh water. SI						
8-29-87	250 gal 250 gal 250# sa 1000 ga 250# sa 500 gal 500 gal 500 gal Flushed w/24 bbls 1000# psi; Max. r on vacuum. ISIP. & TIH w/tbg. @ 42	 Is. DAD Acid HCI Is. DAD Acid HCI alt block mixed in wather of the second second	<pre>w/500 gals. brine wa 90-10 ratio, droppe 90-10 ratio. r. Max. press. @ 35 rate @ 4 BPM. Good w/same & layed dn. p ell from 4254.73'.</pre>	ater 1 40 balls. ater 2d 40 balls. 000# psi; Avg. pre block & ball acti	lon. Well	
8-31-87	-31-87 Well not pumping. RU PU. Unseated pump. TOH w/pump & parted rods. Pump & single rod left in hole. TIH w/rods, fished pump & rod. TOH, checked all breaks. TIH & hung well on with good pump action.					
18. 1 hereby (certify that the foregoing is t	rue and correct		(CONTINUED ON PAG	E 2)	
SIGNED	Lois 1. R.	four TITLE F	Production Clerk	nime Octob	<u>er 21, 1987</u>	
//DL 1000	Lois N. Brown					
улла вра	ce for l'ederal or State office	080)		PETER W. CHESI	ER	
APPROVE CONDITIO	DD BY DNS OF APPROVAL, IF ANY	TIPLE (:		NOV 1 2 1987		
		*See Instruction	s on Reverse Side	BUREAU OF LAND MAN	,	

ŗ

The 16 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the



MURPHY OPERATING CORPORATION UNITED BANK PLAZA, SUITE 300 400 NORTH PENNSYLVANIA AVENUE POST OFFICE BOX 2648 ROSWELL, NEW MEXICO 88202-2648

TELEPHONE 505 623-7210

October 21, 1987 FORM 3160-5 SUNDRY NOTICES AND REPORTS ON WELLS Page 2 Lease No. NM-0449372 TODD LOWER SAN ANDRES UT. SEC.29 Well #15 Sec. 29, T-7S, R-36E Roosevelt County, New Mexico

- 9-1-87 Well not pumping. RU PU, unseated pump & TOH w/same. Layed dn. pump & checked. Rel. tbg. anchor & TOH w/tbg. & layed dn. mud jt. TIH w/tbg. Pumping well @ 4302.79'. PBTD @ 4310.89'. Set tbg. anchor w/10 pts. tension. Changed elev., nippled up WH. TIH w/rods & pump. Started pumping well. SDFN.
- 9-3-87 Tried to long stroke pump but still moving very little fluid. TOH w/pump to swabb. Pump stock on seat, made backoff on rods, swabbed tbg. dn. Rel. tbg. anchor, TOH w/tbg. RU & made backoff on rods. TOH w/tbg. & pump, layed dn. tbg. anchor. TIH w/tbg. RU swabb line, dropped lower part of swabb Mandrell in tbg. Found FL 90' off seating nipple, swabbed l¹/₂ hrs. SDFN.
- 9-4-87 TOH w/tbg. Rec. swabb Mandrell, TIH w/tbg. No tbg. anchor. Pumping well from 4298.26'. Changed elev., nippled up WH, TIH w/rods & pump. Put well pumping on hand.

9-5-87 RD PU.



