

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

HOBBBS OFFICE 0-6-6  
NEW MEXICO OIL CONSERVATION COMMISSION

MAY 6 11 26 AM '69

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
<b>K-3582</b>

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>FRANKLIN, ASTON &amp; FAIR, INC.</b>	8. Farm or Lease Name <b>Gates State</b>
3. Address of Operator <b>P. O. Box 1090, Roswell, New Mexico 88201</b>	9. Well No. <b>2</b>
4. Location of Well UNIT LETTER <b>C</b> <b>640</b> FEET FROM THE <b>north</b> LINE AND <b>1980</b> FEET FROM THE <b>west</b> LINE, SECTION <b>32</b> TOWNSHIP <b>7S</b> RANGE <b>36E</b> NMPM.	10. Field and Pool, or Wildcat <b>Todd Lower San Andres</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>4123' GR</b>	12. County <b>Roosevelt</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded well April 27, 1969. Set 281' 8 5/8", 24# casing at 291' KB using 150 sx cement, 2% CaCl. Cement circulated to surface. After waiting 18 hours pressured up on casing to 800 psi and held 30 minutes, pressure held. Cement job okay. Cementing work was done by Halliburton.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNED <u><i>Krant M. Smith</i></u>	TITLE <u>Geologist</u>	DATE <u>5-5-69</u>
APPROVED BY <u><i>John W. Runyon</i></u>	TITLE <u>Geologist</u>	DATE <u>May 7 1969</u>
CONDITIONS OF APPROVAL, IF ANY:		