Form 9-331 (May 1963)

UNI D STATES

SUBMIT IN TRIPLI

Form approved. Budget Bureau No. 42-R1424.

7.

•	DEPAR	TMEN, OF THE GEOLOGICAL S		OR verse side)	5. LEASE SPRIGNATION	AND SERIAL NO. 1-060177	
		TICES AND RE	PORTS (ON WELLS back to a different reservoir. roposals.)	6. IF INDIAN, ALLOTTE	OR TRIBE NAME	
01L [#] GA	.8 🗆		-		7. UNIT AGREEMENT NA	ME	
WELL GAS WELL OTHER NAME OF OPERATOR R. H. Fulton ADDRESS OF OPERATOR					8. FARM OR LEASE NAME Sheard Federal. 9. WELL NO.		
	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface				10. FIELD AND POOL, OR WILDCAT Wildcat		
	60 Morth & 1 re. 36E	sest Line, Sec.	. 13, Tw	p. 88,	11. SEC., T., R., M., OR SURVEY OR AREA		
	je. Jus				13, 88, 36E		
14. PERMIT NO.		15. ELEVATIONS (Sh 4062 GR		, RT, GR, etc.)	12. COUNTY OF PARISE	New Mexico	
16.	Check A	Appropriate Box To	Indicate N	lature of Notice, Report, or	Other Data		
	NOTICE OF IN				QUENT REPORT OF		
TEST WATER SI	HUT-OFF	PULL OR ALTER CASIN	G T	WATER SHUT-OFF	REPAIRING	WELL	
FRACTURE TREA	:i	MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING C		
SHOOT OR ACID	IZE	ABANDON*		SHOOTING OR ACIDIZING	ABANDONME	NT*	
REPAIR WELL		CHANGE PLANS		(Other) 8 5/8"	casing		
(Other)				Completion or Recon	lts of multiple completion apletion Report and Log fo	on well rm.)	
Text 0.1							
18. I hereby certify							
		g is true and correct		Daniel Control	14	97 on	
SIGNED	that the foregoin	g is true and correct	TITLE	Agent	DATE 10-	27-69	
(This space for	Federal or State	Jones			ROVED	27-69	
(This space for	Federal or State	Sont	TITLE		DATE	27-69	

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal law and regulations, and, it approved or accepted by any State, on all lands in such State, pursuant to applicable State law and Sequilations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Hederal and/or State office.

Consult local Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment; data on any special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

U.S. GOVERNMENT PRINTING OFFICE: 1963 -- O-885229

Level of the Control of the Control

Britanis asparis per vici

.

ជ្

4.4 5.

 $\Gamma_{i,j,j}$

A. Silve Cop. 188 Line : Lee C. Reg.

er saar oo go yaa

AFFIDAVIT ON CEMENTING

STATE OF TRANSPICE NEW MEXICO	1		
COUNTY OF LEA	SS		
I,Bobby Co	oper	, being of lawful age,	
		urton Company in the capacity	
of <u>Cementer</u>	, and	that on the <u>16</u> day of	
		lliburton Company performed	
a cementing service for the			
		(production, tring of casing in Well Number	
protection, surface)		Lease, located in	
Ne ₁	w Mexico		
		Fulton, Hanson & Allen (customer)	
Information provi	ded me by t	the customer, his agent or	
representative, states that	the above	string of casing was size	
8-5/8" O. D., se	t in11	inch drilled hole, and tha	t
casing depth set was3	.0 feet	•	
Cement and admixe	s used were	200 sx Class "H" Cement	
		2% Calcium Chloride mixed in 200	
tables, I have calculated t	hat the abo	ove volume of cement will fill between 8-5/8" casing and (size)	
CEMENT C	ווווא (IRCULATED	ETANG. BALL	
	778	FIANT: Boffy Conserve Employ	_ yee
STATE OF TENACE NEW MEXICO			
COUNTY OF LEA	§ SS		
whose name is subscribed to	this states the best of	authority, on this day personall known to me to be the person ment; who, after being duly swo his knowledge and belief the perrect.	-y >rn
Given under my har , 19 <u>69</u>	nd and seal —•	this 30 day of October	_
	۷	Lary Public, in and for New Mexi	
	No —	tary Public, in and for New Mexi	co

My commission expires: 4-28-71