

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy 2070'
T. Salt _____
B. Salt _____
T. Yates 2468'
T. 7 Rivers _____
T. Queen 3172
T. Grayburg _____
T. San Andres 3625
T. Glorieta 5022
T. Paddock _____
T. Blinbry _____
T. Tubb _____
T. Drinkard _____
T. Abo 7227
T. Wolfcamp 8220
T. Penn. _____
T. Cisco (Bough C) 8723

T. Canyon _____
T. Strawn _____
T. Atoka 9183
T. Miss 9528
T. Devonian 9950
T. Silurian _____
T. Montoya _____
T. Simpson _____
T. McKee _____
T. Ellenburger _____
T. Gr. Wash _____
T. Granite _____
T. Delaware Sand _____
T. Bone Springs _____
T. _____
T. _____

Northwestern New Mexico

T. Ojo Alamo _____
T. Kirtland-Fruitland _____
T. Pictured Cliffs _____
T. Cliff House _____
T. Menefee _____
T. Point Lookout _____
T. Mancos _____
T. Gallup _____
Base Greenhorn _____
T. Dakota _____
T. Morrison _____
T. Todilto _____
T. Entrada _____
T. Wingate _____
T. Chinle _____
T. Permian _____
T. Penn. "A" _____

T. Penn. "B" _____
T. Penn. "C" _____
T. Penn. "D" _____
T. Leadville _____
T. Madison _____
T. Elbert _____
T. McCracken _____
T. Ignacio Qtzte _____
T. Granite _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____
T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2070	2070	Red Beds				
2070	3625	1545	Anhy, Salt, Red Sand Shale				
3625	4580	955	Dolo., Anhy. dolo.				
4580	5022	442	Limestone				
5022	5112	90	Sand				
5112	7227	2115	Dolomite				
7227	8220	993	Veri-Colored Shale & Dolomite				
8220	9183	963	Limestone & Gray Shale				
9183	9528	345	Sand, Conglomerate & Limestone				
9528	9825	297	Limestone & chert				
9825	9950	125	Shale and Limestone				
9950	10061	111	Dolomite				
	TD						