SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for morpholes to drill or to deeped or put back to a different reservoir. Image: Supplication of drill or to deeped or put back to a different reservoir. Image: Supplication of the supplicatio of the supplication of the supplication of the supplic	L		OGICAL SU		N verse side)		EASE DESIGNATION	1456	
Image: Contract of the second and t	SUNDI	RY NOTICES	AND REP	PORTS ON	N WELLS k to a different reservoir.	6. 11	F INDIAN, ALLOTTEE	OR TEIBE N	
WILL L OTHER 2. NAME OF OFERAPOR Roger Hanks 8. FARM OF LEASE NAME Helen 3. ADDERSS OF OFERAPOR ROGER Hanks 9. WILL NO. 3. ADDERSS OF OFERAPOR ROGER Hanks 9. WILL NO. 3. ADDERSS OF OFERAPOR ROGER Hanks 9. WILL NO. 10. FIELD AND FOOL, OR WILL See also space 17 below.) At surface 10. FIELD AND FOOL, OR WILLOCAT 660' FSL & 660' FNL, 11. SEC, T, R. M., OR BLK. AND SURFEY OF AREA. 660' FSL & 660' FNL, 31-8-35 14. FERNIT NO. 15. ELEVATIONS (Show whother SF. NT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT PCLL OR ALTER CASING MULTIPLE COMPLETE ADADON* CHANGE FLANS SUBSEQUENT REFORT OF: YEARTOR FROM CALLS AND POOL, OR WILL ADADON* CHANGE FLANS PCLL OR ALTER CASING MULTIPLE COMPLETE ADADON* CHANGE PLANS SUBSEQUENT REFORT OF: 17. DESCRIBE FROM SCIENCE OF COMPLETE OF STREATIONS (Clearly state all pertinent details, including estimated date of attern proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and socket nent to this work.)* 11. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155'		se "APPLICATION	FOR PERMIT_	" for such prop	osals.)	7. 0	NIT AGREEMENT NA	м в	
2. NAME OF OFFRARY Roder Hanks 3. ADDERES OF OFFRARY 2100 Wilco Building, Midland, Texas 79701 4. DOCKTON OF WLL, (Peppri location clearly and in accordance with any State requirements.* 660' FSL & 660' FNL, 11. SEC. T. T. M., OB BLK. AND SETTER CASING 660' FSL & 660' FNL, 11. SEC. T. T. M., OB BLK. AND SETTER CASING 14. PERMIT NO. 15. ELEVATIONS (Show whether of Mr. OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PLL OR ALTER CASING MULTIPLE COMPLETE SHOOT OR ACTORE SHOOT OR ACTORE BEFAIR WELL (Other) IT. DESCRET TREAT IT. DESCRET PROPOSED OF COMPLETE OF SATIONS (Clearly state all pertinent details, and measured and true vertical depths for all markers and sones 11. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 35 sx plug in and out of base of 8-5/8, 4155' 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub,	OIL GAS WELL	OTHER					ADM OD TRASE NAM	(F	
 adderses of orderation adderses of orderation 2100 Wilco Building, Midland, Texas 79701 accommo or wett (Export location clearly and in accordance with any State requirements." At surface accommo wett (Export location clearly and in accordance with any State requirements." At surface 660' FSL & 660' FWL, 660' FSL & 660' FWL, 10. FIELD AND FOOL, OR WILLOAT 11. BEC. T. R. M. OB BER. AND SUBJECT REAT 12. COUNT to RANISH 13. BEARS 13. ELEVATIONS (Show whether DF, RT, GR, etc.) 14. FERNIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEAST WATER SHUT-OFF PILL OR ALTER CASING MULTIFLE COMPLETE ABANDON* CHANGE PLANS (Other) 17. DESCRES FROTOSE ON COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subaurface locations and measured and true vertical depths for all markers and sones and to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Stotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 15 sx plug the surface, erected a 4" regulation marker. 		۲¢					الشعمه		
	3. ADDRESS OF OPERATOR								
See also space if below.) At surface 660' FSL & 660' FWL, 11. BEC.T., B., M., OB BLK. AND SURVEY OF AREA 14. PERNIT NO. 15. ELEVATIONS (Show whether DF. NT, GR. etc.) 12. COUNTY OF AREA 14. PERNIT NO. 15. ELEVATIONS (Show whether DF. NT, GR. etc.) 12. COUNTY OF PARISH 13. STATE 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: FRACTURE TREAT MULTIFLE COMPLETE ABANDON* WATER SHUT-OFF REPAIR WELL CHANGE PLANS (Other) Completing 17. DESCRIBE INDOPSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and true vertical depths for all markers and sones ment to his work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 35 sx plug in and out of base of 8-5/8, 4155' 4. Spotted a 35 sx plug in and out of base of 8-5/8, 4155' 5. Sootted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 10 sx plut 0 surface, erected a 4" regulation marker.	2100 Wilco	Building,	Midland, T	exas 797)] ate requirements.•]	FIELD AND POOL, OF	R WILDCAT	
660' FSL & 660' FWL, 31-8-35 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, NT, OR, etc.) 12. COUNTY OR PARISH 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, NT, OR, etc.) 12. COUNTY OR PARISH 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, NT, OR, etc.) 12. COUNTY OR PARISH 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REPAIR WELL OTHER CASING OTHER CASING NULTIPLE COMPLETE ABANDON* CHANGE PLANS (Other) (Other) OTHERATIONS (Clearly state all pertiment details, and give pertiment dates, incluing estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Soutted a 35 sx plug in and out of base of 8-5/8, 4155' 5. Soutted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. <td c<="" th=""><td>See also space 17 below.</td><td>)</td><td></td><td></td><td></td><td></td><td>PEC T R M. ORB</td><td>ALK. AND</td></td>	<td>See also space 17 below.</td> <td>)</td> <td></td> <td></td> <td></td> <td></td> <td>PEC T R M. ORB</td> <td>ALK. AND</td>	See also space 17 below.)					PEC T R M. ORB	ALK. AND
14. PERMIT NO. 15. ELEVATIONS (Show whether of, NT, GR, etc.) 31-85-35 14. PERMIT NO. 15. ELEVATIONS (Show whether of, NT, GR, etc.) 12. COUNTY OR PARISE 18. BTATE Roosevelt N. N IS. ELEVATIONS (Show whether of, NT, GR, etc.) 12. COUNTY OR PARISE 18. BTATE NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PCLL OR ALTER CASING MULTIFLE COMPLETE MULTIFLE COMPLETE ABANDON* ALTER SHUT-OFF REPAIRING WELL BEPAIR WELL CHANGE PLANS CHANGE PLANS (Other) ABANDON* X 17. DESCRIBE PROFOSED OR COMPLETED OFERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 4. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 7. Spotted a 10 sx plut @ base of surface casing, 370'. 7. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.	5501	ESI & 660'	FMI			11.	SURVEY OR ABDA		
14. PERMIT No. 15. Elevations (Subw whether br, At, Gr, Gar) Roosevelt N. N 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PCLL OR ALTER CASING MULTIPLE COMPLETE WATER SHUT-OFF REPAIRING WBLL ALTERING CASING MULTIPLE COMPLETE SHOOTING OR ACIDIZING ALTERING CASING NOTICE OF INTENTION TO: CHANGE PLANS (Other) ALTERING CASING (Other) CHANGE PLANS (Other) ALTERING CASING X (Other) CHANGE PLANS (Other) ALTER ING Set and Log form.) X (Other) If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones 11. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent details for all markers and zones 12. Loaded hole w/mud-laden fluids. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. Spotted a 35 sx plug in and out of 8-5/8, 4155' 3. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. </th <th>000</th> <th></th> <th></th> <th></th> <th>· ,</th> <th><u> </u></th> <th></th> <th>1 12 97478</th>	000				· ,	<u> </u>		1 12 97478	
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PCLL OR ALTER CASING MULTIPLE COMPLETE BRACTURE TREAT SHOOT OR ACIDIZE ABANDON* (Other) 17. DESCRIBE PROPOSE OF COMPLETED OPERATIONS (Clearly state all pertinent details, including estimated of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plut @ base of surface casing, 370'. 7. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.	14. PERMIT NO.	15.	ELEVATIONS (Show	w whether DF, RI	r, GR, etc.)		_	1	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PCLL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL SHOOT OR ACIDIZE MULTIPLE COMPLETE ABANDON* REPAIRING OR ACIDIZING ALTERING CASING NOTICE OF INTENTION TO: MULTIPLE COMPLETE ABANDON* MULTIPLE COMPLETE SHOOTING OR ACIDIZING ALTERING CASING SHOOT OR ACIDIZE MULTIPLE COMPLETE ABANDON* MULTIPLE COMPLETE SHOOTING OR ACIDIZING ALTERING CASING (Other) Change PLANS (Other) SHOOTING OR ACIDIZING ABANDONMENT* X 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones 1. Spotted a 25 sx plug to cover all existing perforations. . 2. Loaded hole w/mud-laden fluids. . . 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' . . 4. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. . . 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. . . 6. Spotted a 35 sx plug in and out of 8-5/8 casing st						`		<u> </u>	
Itest water shut-off PCLL OR ALTER CASING FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE MULTIPLE COMPLETE ABANDON* SHOOTING OR ACIDIZING (Other) CHANGE PLANS 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin performed work.) ff well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Sootted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 10 sx plut 0 surface, erected a 4" regulation marker.	16.	Check Approp	priate Box To I	Indicate Nat					
TEST WATER SHOT-OFF PLL OR ALTER CASING FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE ABANDON* (Other) CHANGE PLANS (Other) (Other) 17. DESCRIBE PROPOSED OR COMPLETE OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plut % base of surface casing, 370'. 7. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.	NOT	TICE OF INTENTION	то :		SU	BSEQUENT I			
FRACTORE TREAT ABANDON* SHOOT OR ACIDIZE ABANDON* X BEPAIR WELL CHANGE PLANS (Other) (Other) ABANDON RENT* X 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated def startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' Soutted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 5. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.	TEST WATER SHUT-OFF								
SHOOT OR ACIDIZE ABANDON* REPAIR WELL CHANGE PLANS (Other) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plut @ base of surface casing, 370'. 7. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.	FRACTURE TREAT								
(Other) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones nent to this work.)* 1. Spotted a 25 sx plug to cover all existing perforations. 2. Loaded hole w/mud-laden fluids. 3. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' 5. Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. 6. Spotted a 35 sx plut @ base of surface casing, 370'. 7. Spotted a 10 sx plut @ surface, erected a 4" regulation marker.					(Other)				
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startin proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones nent to this work.)* Spotted a 25 sx plug to cover all existing perforations. Loaded hole w/mud-laden fluids. Spotted a 25 sx plug in and out of base of 8-5/8, 4155' Spotted a 35 sx plug in and out of 8-5/8 casing stub, approx. 1250'. Spotted a 35 sx plut @ base of surface casing, 370'. Spotted a 10 sx plut @ surface, erected a 4" regulation marker. 	REPAIR WELL	Citration of the second s	B I DALLO		(Nome + Report #	esults of m	ultiple completion	on Well	
	 DESCRIBE PROPOSED OR C proposed work. If w nent to this work.)* 1. Spotte 2. Loadec 	ed a 25 sx p hole w/mud	Jug to cov	ver all ei uids.	Completion or Re details, and give pertinent of and measured and true of xisting perforat	iates, inclu vertical dep	ding antimated dat	rui.) te of startin	
	 DESCRIBE PROPOSED OR C proposed work. If w nent to this work.)* 1. Spotte 2. Loadec 3. Spotte 4. Spotte 5. Spotte 6. Spotte 7. Spotte 	ed a 25 sx p i hole w/mud ed a 25 sx p ed a 35 sx p ed a 35 sx p ed a 35 sx p ed a 10 sx p was plugged	lug to cov l-laden flu blut @ 5-1/ blug in and blug in and blug in and blut @ base blut @ surf	ver all ei uids. /2 casing d out of d out of e of surf face, ere	Completion or Re details, and give pertinent on s and measured and true v xisting perforat stub, approx. 4 base of 8-5/8, 4 8-5/8 casing stu ace casing, 370' cted a 4" regula 0/73.	ions. 600' 155' b, appr	rox. 1250'. arker.	te of startin s and zones	
signed TITLE Agent Agent	 17. DESCRIBE PROPOSED OR C proposed work. If we nent to this work.)* 1. Spotte 2. Loadec 3. Spotte 4. Spotte 5. Spotte 6. Spotte 7. Spotte 8. Well we we	ed a 25 sx p i hole w/mud ed a 25 sx p ed a 35 sx p ed a 35 sx p ed a 35 sx p ed a 10 sx p was plugged	lug to cov l-laden flu olut @ 5-1/ olug in and olug in and olut @ base olut @ surf & abandone	ver all e uids. /2 casing d out of d out of e of surf face, ere ed on 3/2	Completion or Re details, and give pertinent of s and measured and true v xisting perforat stub, approx. 4 base of 8-5/8, 4 8-5/8 casing stu ace casing, 370' cted a 4" regula 0/73.	ions. 600' 155' b, appr tion ma	rox. 1250'. arker.	rui.) te of startin	
	 17. DESCRIBE PROPOSED OR C proposed work. If we next to this work.)* 1. Spotte 2. Loadec 3. Spotte 4. Spotte 5. Spotte 6. Spotte 7. Spotte 8. Well we we	ed a 25 sx p d hole w/mud ed a 25 sx p ed a 35 sx p ed a 35 sx p ed a 35 sx p ed a 10 sx p vas plugged	lug to cov l-laden flu olut 0 5-1/ olug in and olut 0 base olut 0 surf & abandone	ver all e uids. /2 casing d out of d out of e of surf face, ere ed on 3/2	Agent	ions. 600' 155' b, appr tion ma	rox. 1250'. arker.	te of startin s and zones	
	 17. DESCRIBE PROPOSED OR C proposed work. If w nent to this work.)* 1. Spotte 2. Loadec 3. Spotte 4. Spotte 5. Spotte 6. Spotte 7. Spotte 8. Well w 	ed a 25 sx p i hole w/mud ed a 25 sx p ed a 35 sx p ed a 35 sx p ed a 35 sx p ed a 10 sx p was plugged	lug to cov l-laden flu olut 0 5-1/ olug in and olut 0 base olut 0 surf & abandone	ver all ei uids. /2 casing d out of d out of e of surf face, ere	Completion or Re details, and give pertinent on s and measured and true v xisting perforat stub, approx. 4 base of 8-5/8, 4 8-5/8 casing stu ace casing, 370' cted a 4" regula 0/73.	ions. 600' 155' b, appr	rox. 1250'. arker.	rm.,) te of s an	

5	
	1