

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	2215	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____		T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____		T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	2730	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____		T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____		T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____		T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	4020	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	5440	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____		T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____		T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	7190	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____		T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	7770	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____		T. _____	T. Chinle _____	T. _____
T. Penn _____		T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	9840	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2215	2215	Redbed & Sand				
2215	2730	515	Evaporite				
2730	4020	1290	Sand				
4020	5440	1420	Limestone, dolomite & Shale				
5440	7190	1750	Shale				
7190	7770	580	Black Shale				
7770	9840	2070	Intermittant Limestone, Dolomite & Shale				