

COUNTY	ROOSEVELT		FIELD	Bluitl		STATE	NM 30-041-203	
OPR	PRODUCTION ENGINEERING CO.					MAP		
	1 Citgo - State							
	Sec 16, T-8-S, R-38-E					CO-ORD		
	766' FSL, 554' FWL of Sec							
	Spd 7-13-72					CLASS		
	Cmp 10-1-72					EL 3997'		
						FORMATION	DATUM	FORMATION
CSG & SX - TUBING								
8 5/8" at 350' w/150 sx								
4 1/2" at 4824' w/250 sx								
LOGS EL GR RA IND MC A								
						TD 4824';	PBD 4805'	

1P (San Andres) Perfs 4781-98' P 20 BOPD. Pot based on 24 hr test
GOR 450; Gray 26

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Consulting Service, Inc.

CONT. G&M	PROP DEPTH 4900'	TYPE RT
DATE		

E.R. 7-10-72; Opr's Elev. 3986' CL
PD 4900' RT (San Andres)
Contractor- G&M
7-17-72 Brlg. 2835'
7-25-72 Brlg. 4100' 1m
7-31-72 TD 4824'; PBD 4805'; WOC
8-8-72 TD 4824'; PBD 4805'; WO Comp
8-28-72 TD 4824'; PBD 4805'; WOCU
9-5-72 TD 4824'; PBD 4805'; WO Pmp
Perf 4781-87', 4795-98'
Acid (4781-98') 1500 gals
Swbd 51 BO in 24 hrs
9-12-72 TD 4824'; PBD 4805'; Prep RU Pmp
9-19-72 TD 4824'; PBD 4805'; WO Elec
10-16-72 TD 4824'; PBD 4805'; WO Elec

ROOSEVELT

Bluitt

NM Sec 16, T8S, R38E

PRODUCTION ENGINEERING CO. 1 Citgo-State

Page #2

10-23-72

TD 4824'; PBD 4805'; COMPLETE

LOG TOPS: Anhydrite 3132', Yates 2710', Seven
Rivers 2836', Queen 3432', Grayburg 3630',
San Andres 3955'

10-28-72

COMPLETION REPORTED

COUNTY ROOSEVELT FIELD Bluitte STATE NM 30-041-2034
 OPR PRODUCTION ENGINEERING CO. MAP
 1 Citgo - State
 Sec 16, T-8-S, R-38-E CO-ORD
 766' FSL, 554' FWL of Sec
 Spd 7-13-72
 Cmp 10-1-72 CLASS EL 3997'

CSG & SX - TUBING	FORMATION	DATUM	FORMATION	DATUM
LOGS EL GR RA IND HC A				
TD 4824'; PBD 4805'				

IP (San Andres) Perfs 4781-98' P 20 BOPD. Pot based on 24 hr test
 GOR 450; Grav 26

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Consulting Service, Inc.

CONT. G&M PROP DEPTH 4900' TYPE RT
 DATE

F.R. 7-10-72; Opr's Elev. 3986' GL
 PD 4900' RT (San Andres)
 Contractor- G&M
 7-17-72 Drlg. 2835'
 7-25-72 Drlg. 4100' 1m
 7-31-72 TD 4824'; PBD 4805'; WOC
 8-8-72 TD 4824'; PBD 4805'; WO Comp
 8-28-72 TD 4824'; PBD 4805'; WOCU
 9-5-72 TD 4824'; PBD 4805'; WO Pmp
 Perf 4781-87', 4795-98'
 Acid (4781-98') 1500 gals
 Swbd 51 BO in 24 hrs
 9-12-72 TD 4824'; PBD 4805'; Prep RU Pmp
 9-19-72 TD 4824'; PBD 4805'; WO Elec
 10-16-72 TD 4824'; PBD 4805'; WO Elec

ROOSEVELT

Bluitt

NM Sec 16, T8S, R38E

PRODUCTION ENGINEERING CO. 1 Citgo-State

Page #2

10-23-72

TD 4824'; PBD 4805'; COMPLETE

LOG TOPS: Anhydrite 3132', Yates 2710', Seven
Rivers 2836', Queen 3432', Grayburg 3630',
San Andres 3955'

10-28-72

COMPLETION REPORTED