

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240DISTRICT II
P.O. Drawer DD, Artesia, NM 88210DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-041-20436
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
Bilbrey	
8. Well No.	1
9. Pool name or Wildcat	North Sawyer Devonian
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	2. Name of Operator T. H. McElvain Oil & Gas Properties
3. Address of Operator P.O. Box 2148, Santa Fe, New Mexico 87504-2148	4. Well Location Unit Letter 0 : 330 Feet From The South Line and 2310 Feet From The East Line Section 29 Township 8S Range 38E NMPM Roosevelt County
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER: <input type="checkbox"/>
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.	

Moved in and rigged up Ziadrill Rig #10. Tested BOP and Hy-drill to 1500 psi. Held ok. Drilled out cement plugs and cleaned out drilling mud in old hole to a total depth of 11,400'. Conditioned hole and ran 280 joints 5½", 17#, N-80 used seamless casing and landed at 11,400' KB. Float collar at 11,360'. Ran 20 centralizers. Pumped 1000 gal. Excell-o-Gel mud flush ahead of cement. Cemented with 1100 sacks 50/50 Poz "H" + 2% gel + .6% CF-14 + 5#/sack salt. Density 14.0 #/gal. Yield 1.30 cu. ft./sack. Plug down at 7:30 a.m. 11-27-90. Float held ok. Set slips. Released rig.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE George B. Broome TITLE Geological Engineer DATE 12-19-90
TYPE OR PRINT NAME George B. Broome TELEPHONE NO. _____

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: