



Casing perms. \_\_\_\_\_ Bottom choke \_\_\_\_\_ Surf. temp \_\_\_\_\_ °F Ticket No. 138936  
Gas gravity \_\_\_\_\_ Oil gravity \_\_\_\_\_ GOR \_\_\_\_\_  
Spec. gravity \_\_\_\_\_ Chlorides \_\_\_\_\_ ppm Res. \_\_\_\_\_ @ \_\_\_\_\_ °F  
INDICATE TYPE AND SIZE OF GAS MEASURING DEVICE USED Manual choke

INDICATE TYPE AND SIZE OF GAS MEASURING DEVICE USED Manual choke

[illegible]

|                                     | O. D.  | I. D.  | LENGTH | DEPTH |
|-------------------------------------|--------|--------|--------|-------|
| Drill Pipe or Tubing .....          | 5 3/4" | 2.5"   | 1'     |       |
| Reversing Sub .....                 |        |        |        |       |
| Water Cushion Valve .....           |        |        |        |       |
| Drill Pipe .....                    | 4 1/2" | 3.826" | 3503'  |       |
| Drill Collars .....                 | 6 1/2" | 2.25"  | 651'   |       |
| Handling Sub & Choke Assembly ..... |        |        |        |       |
| Dual CIP Valve .....                |        |        |        |       |
| Dual CIP Sampler .....              | 5"     | .87"   | 5'     | 4109' |
| Hydro-Spring Tester .....           | 5"     | .75"   | 5'     | 4114' |
| Multiple CIP Sampler .....          |        |        |        |       |
| Extension Joint .....               |        |        |        |       |
| AP Running Case .....               | 5"     | 3"     | 4'     | 4119' |
| Hydraulic Jar .....                 | 5"     | 1.75"  | 5'     |       |
| VR Safety Joint .....               | 5"     | 1"     | 3'     |       |
| Pressure Equalizing Crossover ..... |        |        |        |       |
| Packer Assembly .....               | 6 3/4" | 1.53"  | 6'     | 4131' |
| Distributor .....                   |        |        |        |       |
| Packer Assembly .....               | 6 3/4" | 1.53"  | 6'     | 4137' |
| Flush Joint Anchor .....            |        |        |        |       |
| Pressure Equalizing Tube .....      |        |        |        |       |
| Blanked-Off B.T. Running Case ..... |        |        |        |       |
| Drill Collars .....                 |        |        |        |       |
| Anchor Pipe Safety Joint .....      |        |        |        |       |
| Packer Assembly .....               |        |        |        |       |
| Distributor .....                   |        |        |        |       |
| Packer Assembly .....               |        |        |        |       |
| Anchor Pipe Safety Joint .....      |        |        |        |       |
| Side Wall Anchor .....              |        |        |        |       |
| Drill Collars .....                 | 6 1/2" | 2.25"  | 58'    |       |
| Flush Joint Anchor .....            | 5 3/4" | 3.50"  | 28'    |       |
| Blanked-Off B.T. Running Case ..... | 5 3/4" | 2.5"   | 5'     |       |
| Total Depth .....                   |        |        |        |       |