P. O. BOX 1963 HOBBS, NEW MEXICO 85 40			
Form 3160-5 UNITED STATES (June 1990) DEPARTMENT OF THE INTERIO		FORM APPROVED Budget Bureau No. 1004-0135	
(June 1990) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT		Expires: March 31, 1993	
		5. Lease Designation and Serial No.	
SUNDRY NOTICES AND REPORTS ON	I WELLS	LC 062178	
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals		8. If Indian, Allottee or Tribe Name	
		7. If Unit or CA, Agreement Designation	
SUBMIT IN TRIPLICATE		Milnesand Unit	
1. Type of Well		8. Weil Name and No.	
Oil Gas 🛛 Well 🗌 Well Other		521	
2. Name of Operator		9. API Weil No.	
MAERSK ENERGY Inc.		30-041-20466	
3. Address and Telephone No,		10. Field and Pool, or Exploratory Area	
2424 Wilcrest, Suite 200, Houston, TX 77042-2753, 713/783-0376		Milnesand (San Andres)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		11. County or Parish, State	
Unit Letter H: 2630' from the North Line and 100' from the East Line SW NE Sec. 24 Township 8S, Range 34E		Roosevelt County, New Mexico	
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION	
Notice of Intent	Abandonment		
X Subsequent Report	 Recompletion Plugging Back 	 New Construction Non-Routine Fracturing 	
Final Abandonment Notice	 □ Casing Repair □ Altering Casing ☑ Other <u>PERF & AC</u> 		
 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date/of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this stork.) Work Described: Clean-out, reperforate and acid stimulate this active San Andres producing well. Work Commenced: 11/03/93 Work Completed: 12/04/93 Moved-in, rigged-up workover rig. Pulled rods, pump, and tubing. Cleaned-out well to 4765' with 4-3/4" bit. Perforated the San Andres with 2 SPF from: 4635' - 4669', 4688' - 4712', 4728' - 4732', and 4738' - 4425W WERKOW Washed and cleaned perforations with Perf Clean Tool. Set packer at 4575'. Acidized San Andres with 3700 gallons of 15% NeFe Acid in 3 stages using rock salt as a diverter 			
between stages. 7) Swab back 204 bbls of fluid. 8) Run tubing, pump, and rods. 9) Placed well on production.			
	orge Sheffer	C 2 3 1993 December 10, 1993	
	The Real of the Re		
(This space for Federal or State office use) Approved by Title		<pre></pre>	
Conditions of approval, if any:			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.