Page 2 H. L. Brown, Jr. Operations Plan

- B. SURFACING MATERIAL: Use existing road.
- C. MAXIMUM GRADE: Use existing road.
- D. TURNOUTS: Use existing road.
- E. DRAINAGE DESIGN: Use existing road
- F. CULVERTS: None required.
- G. CUTS AND FILLS: None required.
- H. GATES, CATTLEGUARDS: No gates or cattleguards are required.
- 3. LOCATION OF EXISTING WELLS:
  - A. Existing wells within a one-mile (plus) radius are shown on Exhibit "B".
- 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:
  - A. There is no tank battery, flow lines nor any other existing equipment on this lease owned by H. L. Brown, Jr.
  - B. If the well is productive, the tank battery and flow line will be located on the well pad and no additional surface disturbance will occur.

## 5. LOCATION AND TYPE OF WATER SUPPLY:

A. Water for drilling will be purchased from Mr. Arlen Perkins, from an earthen tank in the SE/4 of Section 5, approximately one and one-half miles southwest of the proposed location. The water line will be laid along the access road to the proposed well so that additional surface area is not disturbed. The line will be removed after drilling is completed.

## 6. SOURCE OF CONSTRUCTION MATERIALS:

A. Caliche for surfacing the well pad will be obtained from an existing pit in SE/4, SE/4, Section 33, T-7-S, R-37-E, approximately 1/4 mile Northwest of the proposed well location. The pit is on land owned by Mr. Ross Ainsworth of Milnesand, New Mexico. Location of the pit is shown on Exhibit "B".