

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☐ well ☐ other DRY
2. NAME OF OPERATOR
SUNDANCE OIL COMPANY
3. ADDRESS OF OPERATOR
#910, 1776 Lincoln Street, Denver, CO 80203
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL, 1980' FWL, Unit K
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input checked="" type="checkbox"/>		<input type="checkbox"/>
(other)			

5. LEASE
NM-15019
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Cone Federal
9. WELL NO.
25
10. FIELD OR WILDCAT NAME
Tomahawk, San Andres
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
NE SW Section 27, T. 7S., R. 32E.
12. COUNTY OR PARISH
Roosevelt
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
4467' GL, 4479' KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

RECEIVED

FEB 23 1981

U.S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled to TD of 4430'. Ran DST #1 from 4230' to 4297' 15/60/45/90.
Recovered 3' drlg. mud, no shows. IHP: 2329. FHP: 2329.
IFP: 54-54. FFP: 54-41. ISIP: 1286. FSIP: 1153. Dresser Atlas ran
SWN/GR and DLL/MLL/GR, requested permission to P & A as follows: 40 sx @ 4190',
40 sx @ 2287', 40 sx from 1922'-1822', 10 sx @ surface.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Nolan L. Ashburn TITLE President DATE February 19, 1981

(This space for Federal or State office use)

APPROVED BY (Orig. Sgd.) PETER W. CHESTER ACTING DISTRICT ENGINEER FEB 25 1981
CONDITIONS OF APPROVAL, IF ANY: