

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

## SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator CITIES SERVICE COM	8. Farm or Lease Name Turner "E" Com.
3. Address of Operator P. O. Box 1919 Midland, Texas	9. Well No. 1
4. Location of Well UNIT LETTER F 1980 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 17 TOWNSHIP 7S RANGE 37 NMPM.	10. Field and Pool, or Wildcat Und. Siluro-Dev.
15. Elevation (Show whether DF, RT, GR, etc.) 4079' GR	12. County Roosevelt

## 16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	

## 17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

T. D. 361' surface rock. Prep to drill ahead. MIRU a Rotary & spudded a 17-1/2" hole @ 0300 MST on 11-2-81 & drilled to a T. D. of 361' in surface rock. Ran and set 9 jts. (348.20') 13-3/8" OD 48# K55 csg. at 359' & cemented w/325 sacks of Class C + 2% CaCl<sub>2</sub> & 1/4# Flocele/per sack. PD at 1402 MST 11-2-81. Circulated 30 sacks cement to surface. WOC 18 hrs.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Elmer Startz</u>	TITLE <u>Reg. Oper. Mgr-Prod.</u>	DATE <u>11-6-81</u>
APPROVED BY <u>[Signature]</u>	TITLE <u></u>	DATE <u>NOV 13 1981</u>
CONDITIONS OF APPROVAL, IF ANY:		