
P. O. BOX 1980 HOBBS, NEWUMHATIL SEZATOES DEPARTMENT OF THE INTERIOR

(Other instructions of reverse side)

	В	udget	Bureau	No.	42-1	R1425	
	3		4/	1	,	/.	10
٥	20						'X
5.	LEASE	DESIG	NOITAN	AND 8	ERIA	L NO.	

	5. LEASE DESIGNATION AND SERIAL NO.							
	LC-062	2178						
APPLICATION	V FOR PERMIT 1	O DRILL, D	EEPEN, OR PLUG B	ACK	6. IF INDIAN, ALLO	TTEE OR TRIBE NAME		
1a. TIPE OF WORK	110111111111111111111111111111111111111	<u> </u>						
	ILL 🛛	DEEPEN [PLUG BAG	CK 🗌	7. UNIT AGREEMEN			
b. TYPE OF WELL					Milnesand	(SA) Unit		
	AS OTHER		SINGLE ZONE ZONE	LE	S. FARM OR LEASE	NAME		
2. NAME OF OPERATOR								
Union Texas	Petroleum Corpo	ration			9. WELL NO.			
3. ADDRESS OF OPERATOR	523							
1300 Wilco B	10. FIELD AND POOL, OR WILDCAT							
4. LOCATION OF WELL (R	Milnesand (SAn Andres							
At surface 90 FNL & 90 FEL						11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA		
At proposed prod. zor Same	1 e :	•			Sec. 13, 8	3S, 34E °		
14. DISTANCE IN MILES	12. COUNTY OR PA	RISH 13. STATE						
4 miles West	of Milnesand				Roosevelt	New Mexico		
15. DISTANCE FROM PROP- LOCATION TO NEARES PROPERTY OR LEASE	OF ACRES ASSIGNED THIS WELL	40						
(Also to nearest drl	g. unit line, if any)	90'	5370.18 (Unit)	- 00 POT				
18. DISTANCE FROM PROP TO NEAREST WELL, IN OR APPLIED FOR, ON THE	RILLING, COMPLETED,	20. ROTA	Rotary Rotary					
21. ELEVATIONS (Show what 4238.6 GL	ether DF, RT, GR, etc.)				22. APPROX. DAT	E WORK WILL START*		
23.	I	PROPOSED CASING	AND CEMENTING PROGR.	AM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	T SETTING DEPTH		QUANTITY OF C	EMENT		
12-1/4	8-5/8	24	360		225 sk CIRCUITATE			
7-7/8	5-1/2	15	4750		1170 sk			
					사 등 생물 본 제 첫과			
					\$ 5 4 £			

Drilling and Blowout Preventor program attached.



OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO

SIGNED fielded thethey	Production Services	3-17-82	
(This space for Federal or State office use)	2		
* APPROVED	APPROVAL DATE	DATE	
PROVED BY	ART		
APR 7 1982			
FOR JAMES A. GRUMAM DISTRUCT SUPERVISOR	See Instructions On Reverse Side		