

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Pennzoil Company		8. Farm or Lease Name Elkans 24
3. Address of Operator P.O. Drawer 1828, Midland, Texas 79702-1828		9. Well No. 1
4. Location of Well UNIT LETTER <u>K</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>1980</u> FEET FROM THE <u>West</u> LINE, SECTION <u>24</u> TOWNSHIP <u>7S</u> RANGE <u>34E</u> N.M.P.M.		10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 4256 G.L.		12. County Roosevelt

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <u>Plug Back</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11-26-82 Open hole TD @ 10,335'. Howco commenced plug back operations.
Plugs set as follows:
PLUG #1 placed 10,200' to TD in open hole w/50 sx class H w/.2% HR-5.
PLUG #2 placed 9,500' to 9,600' in open hole w/50 sx class H w/.2% HR-5.
PLUG #3 placed 9,050' to 9,150' in open hole w/50 sx class H w/.2% HR-5.

11-27-82 Howco completed plug back operations as follows:
PLUG #4 placed 8,110' to 8,210' in open hole w/50 sx class H w/.2% HR-5.
PLUG #5 placed 7,600' to 7,700' in open hole w/60 sx class H.
PLUG #6 placed 4,500' to 4,650' across 8-5/8" csg. shoe w/75 sx class H.
Rig released @ 6 A.M. Operations temporarily suspended pending testing of San Andres.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Francis Phodry</u>	TITLE <u>Engineering Assistant</u>	DATE <u>12-27-82</u>
ORIGINAL SIGNED BY APPROVED BY <u>JERRY SEXTON</u>	TITLE <u>ENGINEER</u>	DATE <u>DEC 29 1982</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

DEC 28 1982

O.C.D.
HOEBS OFFICE