Form 9-331 C (May 1963)	Drawer Artesia UNIT DEPARTMENT	S. COMMISSIO ED ⁸⁸²¹⁰ ED ^{STATES} OF THE IN GICAL SURVE	TERIC	SUBMIT IN T (Other instru reverse s			No. 42-R1425.	
APPLICATIO	N FOR PERMIT T	O DRILL, D	EEPEN	DR FUDGS	AGKaz	6. IF NDIAN, ALLOTTEE	OR TRIBE NAME	
1a. TYPE OF WORK			7. UNT AGREEMENT NA	ME				
DA b. TYPE OF WELL		DEEPEN	J SINGLI					
	AS OTHER	Le	THE REAL PARTY OF LEASE NAME					
2. NAME OF OPERATOR	JOE E. BROWN					FARRELL FEDER		
3. ADDRESS OF OPERATOR	24							
	10. FIELD AND POOL, OF							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface						CHAVEROO SAN ANDRES		
At proposed prod. zor	1310' FSL AN	D 2630' FWL	OF SE	CTION 28		AND SURVEY OR AREA		
At proposed prou. zor						SEC.28, T.7 S	., R.33 E.	
	AND DIRECTION FROM NEAR					12. COUNTY OR PARISH		
15. DISTANCE FROM PROP				ACRES IN LEASE	1 17. NO. 0	ROOSEVELT	NEW MEXICO	
LOCATION TO NEARES PROPERTY OR LEASE 1 (Also to nearest dr)	LINE, FT.	1310'		2160		THIS WELL 40		
18. DISTANCE FROM PROP			19. PROPOS	PROPOSED DEPTH		20. ROTARY OR CABLE TOOLS		
OR APPLIED FOR, ON TH	IIS LEASE, FT.	919'		4500'	R	DTARY		
21. ELEVATIONS (Show wh		411.7 GR				22. APPROX. DATE WOR UPON APPROV		
23.			AND CR	MENTING PROGRA				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO		SETTING DEPTH	1	QUANTITY OF CEMEN		
12-1/4"	8-5/8"	24#		1800 '	SUFFI	CIENT TO CIRCU		
7-7/8"	4-1/2"	9.5#		4500'	<u>300_S</u>			
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if an 24.	SEE ATTACH	ED FOR: SUPI BOP SURI SURI	PLEMEN SKETCI FACE US FACE R	TAL DRILLING H SE AND OPERA ESTORATION R	DATA TIONS P EQUIREM	ENTS ECENVI OCT 111983	new productive Give blowout	
BIGNED	hunkler		A	gent		Octobe		
Arth	ur. R. Brown ral or State office use)							
PERMIT NO	Del		лррі	OVAL DATE	·····	··· ··· ··· ··· ···		
APPROVED BY	ilifopt	TITLE				DATE	27/53	
CONDITIONS OF APPROV	AL, IF ANY : 2 Applical			Reverse Side	(activ	APPROVAL SUBJEC GENERAL REQUIRE SPECIAL STIPULAT	MENTS AND	

NEW MEXICO OIL CONSERVATION COMMISSIC . WELL LOCATION AND ACREAGE DEDICATION PLAT

٢

Form C-102 Supersedes C-128 Effective 1-1-65

		All distances must	be from the outer boundarses of	the Section						
Operator JOE E	BROWN	DERAL	Well the 24							
Unit Letter	Section 28	Township 7 SOUTH	Range 33 EAST	County ROOSEVELT						
Actual Foctoge Location of Well: 1310 feet from the SOUTH line and 2630 feet from the WEST line										
Ground Level Elev.	feet from the St Producing Fo		CHAVEROO SAN		Dedicated Acreage: 40 Acres					
the second se	e acreage dedic		well by colored pencil a							
 If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 										
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consoli- dated by communitization, unitization, force-pooling.etc?										
Yes	No If	answer is "yes," typ	e of consolidation		· · ·					
If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-										
sion.										
					CERTIFICATION					
			 	tained her	ertify that the information con- ein is true and complete to the knowledge and belief.					
	 	+		Art	thur R.Brown					
	1		e A	Age	ent					
:			1	Company J(DE E. BROWN					
	1		1	Date	ber 7, 1983					
	2630	3 <u>O</u> M	- COLONNEER & CALL	shown on notes of a under my t is true an knowledge Tru -0 Date Survey SEPTI	certify that the well location this plat was plotted from field octual surveys made by me or supervision, and that the same nd correct to the best of my and belief. MBER 15, 1983 Professional Engineer					
			 	and/or Land	What B JOHN W. WEST, 676					
0 330 660	100 1320 1650 11	80 2310 2640	2000 1500 1000	800 Co-	RONALD J. EIDSON, 3239					



.

Ţ

BOP STACK

SERIES 600 DEPTH INTERVAL BELOW 8-5/8" CASING SEAT

BOP ARRANGEMENT