

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>2355</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>3500</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2000	2000	Red Beds, Sand				
2000	3500	1500	Anhydrite, Red Beds,				
			Sand, Salt				
3500	TD	923	Dolomite				

Deviation surveys taken on Pioneer Production's Pittigrew 30-1 well
in Roosevelt County, New Mexico:

<u>Depth</u>	<u>Degree</u>
378	.25
853	.25
1263	.25
1763	.50
2047	.75
2512	.75
2993	3.25
3087	2.50
3151	2.25
3243	2.00
3338	1.75
3465	.75
3533	1.50
3626	1.50
3720	1.00
3845	1.75
4001	1.75
4151	.75
4424	1.00

I hereby certify that I have personal knowledge of the date and facts
placed on this sheet and that such information given above is true
and complete.

S. Howard Norton
Norton Drilling Company

Before me, the undersigned authority, on this day personally appeared
S. Howard Norton, known to me to be the person whose name is subscribed
hereto, who, after being duly sworn, on oath states that he is the
drilling contractor of the well identified in this instrument and that
such well was not intentionally deviated from the vertical whatsoever.

S. Howard Norton
S. Howard Norton

SWORN AND SUBSCRIBED TO before me this 28th day of August 1984.

Pat Farrell
Notary Public in and for
Lubbock County, Texas.

RECEIVED

OCT 11 1984

COO
HOBBS OFFICE