

Form 9-331  
Dec. 1973

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
well well

2. NAME OF OPERATOR  
American Petrofina Co. of Texas

3. ADDRESS OF OPERATOR  
P.O. Box 2990 Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 990 FNL, 2270 FWL, Sec. 30

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH: 990 FNL, 2270 FWL, Sec. 30

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) Set 5 1/2" csg, test, perforate

5. LEASE

NM 0145685

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Horton Federal

9. WELL NO.

35

10. FIELD OR WILDCAT NAME

Milnesand, San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

30; T-8-S, R-35-E, NMPM

12. COUNTY OR PARISH

Roosevelt

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4228.8 DF; 4330 KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

10/22/84 total Depth 4810

10/24/84 set 5 1/2", 15.5# new csg @ 4809; cmt w/1350 sk Halliburton

HCL plus 200 sk C1 H. cir 55 sks to surface.

10/30/84-11/5/84

Test casing to 2000 PSI for 30 min - no loss; Run Bond log;

Perf. 5 1/2" csg. 4652-4745 (22 shots). Acidize with 3500

gals 20% NE acid. Testing.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Ronald E. Smalley TITLE Dist. Drilling & Prod. Manager DATE November 6, 1984

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL

ACCEPTED FOR RECORD

TITLE

DATE

DEC 6 1984