

UNITED STATES P. O. BOX 1980
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
HOBBS, NEW MEXICO 88240
DUPLICATE*
Instructions on
reverse side)Form approved,
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____		5. LEASE DESIGNATION AND SERIAL NO. NM 0558287	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____		6. IF INDIAN, ALLOTTEE OR TRIBE NAME _____	
2. NAME OF OPERATOR Haseloff Corporation		7. UNIT AGREEMENT NAME _____	
3. ADDRESS OF OPERATOR P. O. Box 249, Lovington, N.M. 88260		8. FARM OR LEASE NAME Haseloff Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements). At surface 1310' FSL 1310' FWL At top prod. interval reported below Same At total depth Same		9. WELL NO. 1	
14. PERMIT NO. _____ DATE ISSUED _____		10. FIELD AND POOL, OR WILDCAT Chaveroo-San Andres	
15. DATE SPUDDED 11-7-85		11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA Sec. 13, T7S. R33E	
16. DATE T.D. REACHED 11-14-85		12. COUNTY OR PARISH Roosevelt	
17. DATE COMPL. (Ready to prod.) 11-23-85		13. STATE N.M.	
18. ELEVATIONS (OF, RKB, RT, OR, ETC.) 4332' GR		19. ELEV. CASINGHEAD _____	
20. TOTAL DEPTH, MD & TVD 4400'		21. PLUG, BACK T.D., MD & TVD _____	
22. IF MULTIPLE COMPL., HOW MANY? N/A		23. INTERVALS DRILLED BY _____	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD) 4066' - 4250'		25. WAS DIRECTIONAL SURVEY MADE Yes	
26. TYPE ELECTRIC AND OTHER LOGS RUN Schlumberger DLI-MSFL		27. WAS WELL CORED No	
28. CASING RECORD (Report all strings set in well)			
Casing Size		Weight, lb./ft.	
8 5/8"		24#	
4 1/2"		9 1/2"	
Depth Set (MD)		Hole Size	
1806'		12 1/4"	
4400'		7 7/8"	
Cementing Record		Amount Pulled	
325 sxs lite & 250 sxs		None	
H1 Early 11- Circulated		None	
185 sxs 50/50 Poz W/		None	
2% D20 & 3# salt per sk		None	
29. LINER RECORD			
Size		Top (MD)	
Bottom (MD)		Sacks Cement	
Screen (MD)		30. TUBING RECORD	
Size		Depth Set (MD)	
2 3/8"		4370'	
Packer Set (MD)		Hung	
31. PERFORATION RECORD (Interval, size and number)			
(P-1) 4066, 4081, 4082, 4104, 4132, 4145, 4146, 4148, 4150, 4151, 4152, 4153, 4156, 4158, 4162, 4165, 4187, 4188, 4191, (P-3) 4240, 4245, 4246, 4249, 4250 - 28 Total Shots			
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
Depth Interval (MD)		Amount and Kind of Material Used	
4066-4250		6000 gal - 20% NEFE	
33. PRODUCTION			
Date First Production 11-25-85		Production Method (Flowing, gas lift, pumping—size and type of pump) Pumping	
Date of Test 11-25-85		Hours Tested 24	
Flow. Tubing Press. 350		Casing Pressure 350	
Calculated 24-Hour Rate 60		Oil—BBL. 60	
Gas—MCF. Trace		Water—BBL. 0	
Oil Gravity-API (Corr.)		Gas-Oil Ratio	
34. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented		35. List of Attachments NMOCC Forms C-124, C-116, & (2) of Schlumberger open hole logs	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records		37. SIGNED _____ TITLE _____ DATE 12-3-85	

* (See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the production interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identifying, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:


SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
San Andres	3348	4400	Dolomite, Anhydrite, Oil & Water

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	3348	+992
Pi Marker	3890	+450
P-1 Zone	4004	+336
P-2 Zone	4133	+207
P-3 Zone	4229	+111

RECEIVED
JAN 3 - 1986
HOBBS OFFICE



Telephone (505) 748-2205

L & M DRILLING, INC. — Oil Well Drilling Contractors

P. O. BOX 672 / ARTESIA, NEW MEXICO 88210
470

November 20, 1985

Haseloff Corporation
PO Box 249
Lovington, NM 88260

Re: Haseloff Federal #1
Sec. 13, T7S, R33E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
849'	1/4°
1540'	2 1/2°
1803'	4 1/4°
2334'	2 1/2°
2845'	1 3/4°
3218'	1 1/2°
3658'	1 1/4°
4400'	3/4°

Very truly yours,

B. N. Muncy Jr.
President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 20th day of November, 1985.

NOTARY PUBLIC