

WRS COMPLETION REPORTREISSUES
PI# 30-T-0009 07/31/89 SEC 29 TWP 7S RGE 36E
30-041-20825-0000 PAGE 1

NMEX ROOSEVLT * 1980FSL 1980FWL SEC NE SW
STATE COUNTY FOOTAGE SPOT
MURPHY OPERATING D DO
OPERATOR WELL CLASS INIT FIN
11 TODD (LOWER SAN ANDRES) UNIT SEC 29
WELL NO. LEASE NAME
4153KB 4141GR TODD
OPER ELEV FIELD/POOL AREA
API 30-041-20825-0000
LEASE TYPE NO PERMIT OR WELL I.D. NO
07/24/1988 09/01/1988 ROTARY OIL
SPUD DATE COMP. DATE TYPE TOOL STATUS
4400 SN ADR L SITTON DRLG CO 1 RIG SUB 11
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 4400 PB 4356 FM/TD SN AN P3
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

4 MI NE MILNESAND, NM

WELL IDENTIFICATION/CHANGES

PROJ FM CHGD FROM SAN ANDRES

CASING/LINER DATA

CSG 8 5/8 @ 2014 W/ 950 SACKS
CSG 5 1/2 @ 4400 W/ 800 SACKS

TUBING DATA

TBG 2 7/8 AT 4275

INITIAL POTENTIAL

IPF 27BOPD 30 MCFD 25BW 128/64CK 24HRS
SN AN P2 PERF W/ 18/IT 4259- 4289 GROSS
PERF 4259, 4260, 4262, 4265, 4267, 4269, 4271, 4273
PERF 4275, 4278, 4279, 4281, 4282, 4283, 4284, 4286
PERF 4288, 4289
ACID 4259- 4289 7000GALS
20% NEFE
SWFR 4259- 4289 6000GALS 10250LBS SAND ADDTVGELA
X-LINK 72500# 20/40
30000# 10/20
CP 15

CONTINUED IC# 300417000388

REISSUES
PI# 30-T-0009 07/31/89 SEC 29 TWP 7S RGE 36E
30-041-20825-0000 PAGE 2

MURPHY OPERATING
11 TODD (LOWER SAN ANDRES) UNIT SEC 29^D DO

INITIAL POTENTIAL

GTY 22.0 GOR 1111
FIELD /RESERVOIR
/SAN ANDRES L
PERFED @ 4262 1/2
FTP-NO DETAILS

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	YATES		2364 1777	
LOG	SN ANDRS		3568 573	
LOG	SN AN P1		4124 17	
LOG	SN AN P2		4245 -104	
LOG	SN AN P3		4337 -196	

SUBSEA MEASUREMENTS FROM GR

CORES

CORE 1 4242- 4298 REC 55.00FT SN AN P1 CONV
* 55.0TDO,DNS, SLI ANHYC W/SML VERT & HOR FRAC
OVERLAPS SN AN P2

CORE 2 4298- 4328 REC 30.00FT SN AN P2 CONV
* 30.0TDO,DNS, SLI ANHYC W/SML VERT & HOR FRAC

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	GR	CNL	CCL
------	----	-----	-----

DRILLING PROGRESS DETAILS

MURPHY OPERATING
BOX 2648
ROSWELL, NM 88201
505-623-7210
02/29 LOC/1988/
07/27 DRLG 2014
08/05 4400 TD, PB 4356, PREP PERF
09/02 4400 TD, PB 4356, WOPT
09/28 1D REACHED 08/01/88 RIG REL 08/01/88
4400 TD, PB 4356
COMP 9/1/88, IPF 27 BO, 30 MCFG, 25 BWPD,
64/64 CK, GOR 1111, GTY 22.

CONTINUED

REISSUES
PI# 30-T-0009 07/31/89 SEC 29 TWP 7S RGE 36E
30-041-20825-0000 PAGE 3

MURPHY OPERATING
11 TODD (LOWER SAN ANDRES) UNIT SEC 29^{D DO}

DRILLING PROGRESS DETAILS

07/25 FTP (NR), FCP 15
PROD ZONE - SAN ANDRES L 4259-4289
TWO CORES, NO DSTS RPTD
REISSUED TO CORRECT FM @ TD, IP & ADD
TRTMNTS, LOG TOPS, LOGS RUN & CORES
REPLACEMENT FOR CT ISSUED 10/3/88